

**PREJHA Foundation Reference:
1118-PREJHA08/18/21**

REQUEST FOR QUOTATION

FOR

Partner Empanelment & Supply Of Small Machines

Dated: 22nd August 2018

PanIIT Alumni Reach For Jharkhand Foundation

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of Welfare,
Government of Jharkhand and
PanIIT Alumni Reach For India Foundation,
Kalyan Complex, Balihar Road, Morabadi,
Ranchi - 834008, Jharkhand**

Contents

Contents

DISCLAIMER	2
SECTION 1: LETTER OF INVITATION	3
<i>PREFACE</i>	5
<i>Purpose of RFQ</i>	5
Section 2: Instructions to Bidders	6
<i>General terms & Conditions:</i>	7
STANDARD FORMS	15
<i>Form Tech 1: Letter</i>	16
<i>Form Tech 2: Bidder's Organization and Experience</i>	18
<i>Form Tech 3: Techno commercial Offer</i>	19
<i>Form Fin1: Financial Bid Proforma</i>	20

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of its knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of small Machines for PREJHA Foundation's Gurukuls & Kaushal College in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation

Section 2 - Instructions to Bidders (including pre-qualification criteria)

Section 3 - Standard Forms

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action>

Yours faithfully,

Authorized signatory
**PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi,
Ranchi - 834008, Jharkhand**

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure small machines required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	22.08.2018
2.	Start date for seeking Clarification	22.08.2018
3.	Last date for seeking clarification	30.08.2018
4.	Bid submission start date (only on-line bid accepted)	22.08.2018
5.	Bid submission end date	04.09.2018 (08:00PM)
6.	Schedule date for Technical bid opening	04.09.2018
7	Comparative statement preparation by the system	04.09.2018

General terms & Conditions:

1. Detailed BOQ

Sl. No	Item Description	UoM	Estimated Qty
1	SS and SC Centre Lathe (all Geared) with hardened bed;- Min Spec - Bed Length - 4.5 Ft; Width of Bed - 241mm; Centre Height - 165mm; Swing over bed - 300mm"; Swing over Cross Slide - 175mm"; Admit between centre - 635mm"; Spindle Speed - 4 + 4 =8;- Accessories - 4jaw/3jaw chucks; Auto Feed System; Safety Guard; Motorized coolant system & Lightning Arrangement	Nos	2
2	SS and SC Centre Lathe (all Geared) with hardened bed;- Min Spec - Bed Length - 6ft ; Width of Bed - 241mm; Centre Height - 165mm; Swing over bed - 300mm"; Swing over Cross Slide - 175mm"; Admit between centre - 1090mm"; Spindle Speed - 4 + 4 =8;- Accessories - 4jaw/3jaw chucks; Auto Feed System; Safety Guard; Motorized coolant system & Lightning Arrangement	Nos	2
3	Pillar drill Machine - Min Spec;- Drilling Capacity in MS - 40; Drilling Capacity in CI - 45; Boring in MS - 75; Tapping in MS - 25; Spindle hole taper - MT-4; Spindle travel -250; Spindle speeds (RPM/Steps) - 88-1404X9; Diameter of RAM - 78; Auto feed range (mm / rev) - 0.05 to 0.09; Max. dist. spindle nose to table - 530; Spindle centre to column - 345; Table size - 450 x 55; Machine measurements - 880x675x1850; Column Diameter - 130; Dist. from spindle Nose to Base - 920; 1.5 HP motors; V-Belt - B-33X2; Accessories - Drill Chuck & Key	Nos	0.001
4	Shaping Machine - Min Spec - Length of Ram Stroke - 12 in; Length of Ram - 26 inch; Length of Width of Ram Bearings - 26 X 7; Max & minimum Distance from Table to Ram - 10 X1; Working Surface of Table - 12 X 8; Table Travel Horizontal - 16.5 inch;Table Travel Vertical - 9 inch; Angular movements of Table on either sides - 60 deg; Vertical travel of	Nos	1

	tool slide - 5; Swivel of Tool Head - 60 deg; Length of main slide base - 23 inch; Length & Width of base - 37 X 18; Cone Pulley Belt; Dia of Clutch Pulley - 9.25 inch; Range of Ram Speeds - Strokes per minute - 3; Dia of motor pulley - 2.5 inch; Range of table feed per stroke of Ram - 0.009 in; Drive & electrical equipments - Hand Feed; Electric Motor - 1.5 HP; Drive Motor - 1440RPM; Overall Dimension of vice - 5 inch; Overall Length - 48; Overall Width - 30; overall Height - 54; with all standard tools & accessories		
5	Vertical Slotting Machine - Min Spec ;; Working Stroke - 150mm; Length of Ram - 560mm; Vertical adjustment of Ram - 150mm; Centre of cutting tools of column - 250mm; Working Surface of table - 280mm; Longitudinal Transverse of table - 250mm; Bore of Base - 38; No of speeds - 2; Range of Speeds - 60-150; RPM of motor - 1440; With all standard tools & accessories	Nos	0.001
6	Vertical Milling Machine - Min Spec;; Table Size - 1250mm X 254mm; Travel Longitude - 900mm; Cross Ward - 380mm; Vertical - 325; Quill Dia - 127mm; Travel of Spindle Quill - 85mm dia; Spindle Taper - R8(N+-30); Rated Power HP -3; with all standard tools & accessories	Nos	0.001
7	Universal Milling Machine - Min Spec;; Table Size - 1320mm X 360mm; Table Travel - 1000mm X 300mm; No/Width/Distance of T-Slot - 3-14-95; Spindle Taper - ISO50; Distance From Spindle axis to table surface - 0-400mm; Distance between Spindle axis to ram surface - 175mm; Spindle Speed Range - 58-1800/12 RPM; Spindle Speed motor - 4kw; Table feed speed range(mm/min) - 22-420/22-393/10-168; Ram Travel - 500mm; Overall Dimension - 2070 X 2050 X 1950 mm; With all standard accessories & diving head	Nos	2
8	Horizontal Milling Machine - Min Spec;;Length X Width - 1134mm X 246mm; Longitudinal Traverse - 529mm; Cross Traverse - 227mm; Vertical Traverse - 454mm; Milling Spindle - NT 40; No of Speeds - 9; No fo Feeds - 3; With all std tools & accessories	Set	0.001
9	Surface Grinding Machine - Min Spec: Working Area - 225 X 350mm; Magentic Table Travel - 250 X 360mm; Grd. Height Under wheel - 240mm; Vertical feed graduation - 0.01mm; Cross feed graduation - 0.05mm; Elevator movement with microfeed - 0.002mm; Spindle Speed - 2800 RPM; Grinding Wheel (Dia X Bore X width) - 178 X 31.75 X 12.7; 0.75 HP 3 phase motor; Magnetic chuck - 200 X 300mm; Diamond dresser with holder - 0.5CR; with all standard tools & accessories	Set	1
10	Power Hacksaw Machine - Min Spec: Max dia - 200mm; Max Square - 175mm; Non adjustable stroke length - 140mm; No of speed strokes - 3; Range of speed stroke - 80-100-125; Blade Size - 400 x 32 x 1.6; Power of main motor - 0.75kw, 415V, 3 phase, 50 Hz; Power of coolant motor - 0.09kw; with coolant system	Nos	1
11	Planner Machine - Min Specs: Length of stroke - 4.5 in; Bed Length - 6.75in; Bed Width - 20 in; Centre of Vees - 16in; Length of table - 1600mm; Width of table - 635mm; Max width between arms - 838mm; Max Height under cross rail - 762mm; Face of upright - 152mm; Face of main slide - 254mm; Tool side adjustment - 178mm; Tool post size - 32mm; Counter shaft V-belt pulley dia - 448mm; Driving Pulley Dia - 254mm; Motor Pulley dia - 105mm; V belt size - No.3 X A-75; 1.5kw motor; with all standard tools & accessories	Nos	0.001

12	Radial Drill Machine - Min Specs: Drilling Capacity - 25mm; Pillar diameter - 130mm; Spindle nose to table distance - 675mm; Spindle nose to base distance - 875mm; Distance from spindle centre to pillar surface - 635mm (max); Taper in spindle - MT -3; No of Speed - 8; Range of speed - 130 to 2600RPM; Work Table size - 200 X 200 X 250mm; Base Size (Machined Area) - 585 X 915mm; Overall Base Size - 610 X 944mm; Spindle Travel - 185mm; Pillar Length - 1265mm; Overall Height with Pulley Guard - 1700mm; V-Belt Section - B-43" & A-23"; Motor 1440 RPM, 3phase, 440 Volts - 1HP & 0.5HP; With all standard tools & accessories	Nos	1
13	Capstan Lathe Machine - Min Specs: Spindle Hollow - 25mm; Maximum Collet Capacity - 20mm; Spindle Speed Range - 650-1660RPM; Effective Stroke of Turret Slide - 100mm; Bore Size in turret hex head - 25mm; Centre of holes above turret slide - 45mm; Cross slide traverse travel - 95mm; Cross slide longitudinal travel - 300mm; Length of bed - 980mm; Width of bed - 178mm; Height of centre above bed - 165mm; With following equipments - Manual Turret, Cross Slide with tool post, One coupling 165mm, spanner set, Allen Key Set, Oil cane , Collet Chuck, Bar Feed Attachment, Electric Motor, Vertical Slide, Coolant pump & its fittings, Feed for turret slide, Panel board & its fittings	Nos	1
14	Tool & Cutter Grinder - Min Specs - Table Dimension - 500 X 114 mm; Admit between centres - 300mm; Longitudinal Traverse - 250mm; Cross Traverse - 160mm; Swing over table - 300mm; Table swivel both sides - 45 deg; Motor head swivel both sides - 45 deg; Grinding head RPM - 2800rpm; T-slot Width - 13mm; Motor Power 3phase 440V - 1.5 Hp; With Universal work head, half & Full Centres, universal tool rest, lathe tool grinding attachment, reamer & end mill grinding attachment, Indexing head motorised, drill point grinding attachment, radius grinding attachment, tap grinding attachment, hob grinding attachment, radius wheel turning attachment, universal vice 3 way 4", tiling table - 5ft X 7ft, milling machine vice 3in, Coolant pump accessory with tank	Nos	0.001
15	Pedestal Grinder - Min Spec - Size of Grinding Wheel (For vitrified bonds - 250 X 25 X 31.75; wheel centre distance - 645mm; Base to centre line of spindle - 860mm; Diameter of spindle bearings - 35mm;); Power of Moter - (For Vitrified bonded wheel - 1 HP; Speed of motor - 1400rpm;) ; For vitrified bonded wheel - 2292,	Nos	1
16	Double Ended Bench Grinder Min Spec - Spindle Size – 1in; Spindle width – 20mm;Spindle bore – 20mm – Make – Bosch/Dewalt/Makita	Nos	2

2. Definitions

- **"Buyer"** means PREJHA Foundation
- **"Bidder"** means suppliers or contractors who have participated in tender
- **"The Vendor"** means the supplier or contractor or service provider to whom the Order is addressed.
- **"The Purchase Order"** means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- **The Goods / Services"** means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

<https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action>

- a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,

Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

- c) They may obtain further information regarding this tender from the office of PREJHA, Kalyan Gurukul, Kumarbagh Road, Arsande, Kanke, Ranchi – 834006 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Abhinav Prakash, Project Sevak, PREJHA
Contact No.: 7041866069
Email-ID:abhinav.p@parfi.org

- d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal **operated/ maintained** by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of min** 180 days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA-mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

Sl. No	PQR Condition	Bidder Remarks
1	Bidder should have supplied similar / same item to PSUs/ Institutional Buyers/Govt agencies in past 02 (two) Years. A copy of purchase order is required to be submitted as a documentary proof. (The period of 2 years shall be considered from date of opening of Part-I bid).	

Bidder should submit the prequalification documents (Tech1, Tech2, Tech3 & Fin1) at the portal

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue a purchase award that will be deemed as the Letter of Award (LOA) for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email. The selected bidder shall submit security deposit of 5% of the estimated order value in the form of either a bank guarantee from a scheduled bank or a PDC or a DD drawn on any scheduled bank in favour of "PanIIT Alumni Reach for Jharkhand Foundation" payable at par in Ranchi.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase

orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.

6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
 - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;
 - purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer;

11. Indicative Delivery Schedule

- Goods to be delivered at our Gurukul as per following as needed:

Sl. No	Delivery Location	Delivery Schedule
1	Kalyan Gurukul Chas(Bokaro)	Within 15 days of issuance of PO
2	Kaushal College Thadapkhana (Ranchi)	
3	Kalyan Gurukul Maithan(Dhanbad)	
4	Kalyan Gurukul Manika(Latehar)	
5	Kalyan Gurukul Saraidaha(Dumka)	

12. *Payment Terms*

- a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.
- b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

13. *Unloading*

- a. Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.
- b. The risk of all materials till receipt at location will be in vendor's scope.

14. *Quality of goods and services.*

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

15. Warranty/ Guarantee

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.
- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

16. Inspection

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of delivery indicated by the Buyer.
- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.
- c) All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor's account.
- d) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

17. Damage or loss in transit

- a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or

damaged in transit.

- b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

18. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

19. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrined in the undertaking in bidding document and contract

20. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract

21. Jurisdiction.

- The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

TECH FORMS	FORM NAME	Mention list of all supporting documents attached (if any)
TECH-1	Letter of proposal submission	Pls scan & attach
TECH-2	Bidder's organization and experience	Pls Put details during bid submission online
TECH-3	Techno commercial offer	Pls Put details during bid submission online
Fin - 1	Financial Bid Format	Pls Put details during bid submission online

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,

Executive Director

PanIIT Alumni Reach For Jharkhand Foundation

Kalyan Complex, Balihar Road, Morabadi,

Ranchi - 834008, Jharkhand

We, the undersigned, offer to supply small machines for PREJHA Foundation, in accordance with your Request for Quotation dated 22-08-2018. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract

Yours faithfully,

*Authorized Signatory [*In full and Designation*]: Name and Title of Signatory:

Name of

Bidder:

Address:

Form Tech 2: Bidder's Organization and Experience

Bidder's Organization

Provide here a brief description of the background and organization of your Agency/entity.

<i>Years</i>	<i>2016-17</i>	<i>2017-18</i>	<i>Average</i>
<i>Turnover (INR)</i>			

Attach PAN card copy, Bank Details (along with copy of cancelled cheque)

Form Tech 3: Techno commercial Offer

<u>TENDER PROFORMA for Techno-commercial</u>	
PREJHA reference	
Name of Bidder	
Address of Bidder	
Acceptance of Delivery Schedule	Yes
Acceptance of payment terms	Yes
GSTIN No	
Acceptance of Guarantee clause	Yes
Acceptance of Jurisdiction clause	Yes

Form Fin1: Financial Bid Proforma

TENDER PROFORMA for Commercial							
PREJHA Reference No							
Name of Bidder							
SN	Item Description	Estimated Qty	Unit Rate	Estimated Value	Tax %	Tax	Freight
1	SS and SC Centre Lathe (all Geared) with hardened bed;- Min Spec - Bed Length - 4.5 Ft; Width of Bed - 241mm; Centre Height - 165mm; Swing over bed - 300mm"; Swing over Cross Slide - 175mm"; Admit between centre - 635mm"; Spindle Speed - 4 + 4 =8;- Accessories - 4jaw/3jaw chucks; Auto Feed System; Safety Guard; Motorized coolant system & Lightning Arrangment	2					
2	SS and SC Centre Lathe (all Geared) with hardened bed;- Min Spec - Bed Length - 6ft ; Width of Bed - 241mm; Centre Height - 165mm; Swing over bed - 300mm"; Swing over Cross Slide - 175mm"; Admit between centre - 1090mm"; Spindle Speed - 4 + 4 =8;- Accessories - 4jaw/3jaw chucks; Auto Feed System; Safety Guard; Motorized coolant system & Lightning Arrangment	2					
3	Pillar drill Machine - Min Spec;- Drilling Capacity in MS - 40; Drilling Capacity in CI - 45; Boring in MS - 75; Tapping in MS - 25; Spindle hole taper - MT-4; Spindle travel -250; Spindle speeds (RPM/Steps) - 88-1404X9; Diameter of RAM - 78; Auto feed range (mm / rev) - 0.05 to 0.09; Max. dist. spindle nose to table - 530; Spindle centre to column - 345; Table size - 450 x 55; Machine measurements - 880x675x1850; Column Diameter - 130; Dist. from spindle Nose to Base - 920; 1.5 HP motors; V-Belt - B-33X2; Accessories - Drill Chuck & Key	0.001					
4	Shaping Machine - Min Spec - Length of Ram Stroke - 12 in; Length of Ram - 26 inch; Length of Width of Ram Bearings - 26 X 7; Max & minimum Distance from Table to Ram - 10 X1; Working Surface of Table - 12 X 8; Table Travel Horizontal - 16.5 inch;Table Travel Vertical - 9 inch; Angular movements of Table on either sides - 60 deg; Vertical travel of tool slide - 5; Swivel of Tool Head - 60 deg; Length of main slide base - 23 inch; Length & Width of base - 37 X 18; Cone Pulley Belt; Dia of Clutch Pulley -	1					

	9.25 inch; Range of Ram Speeds - Strokes per minute - 3; Dia of motor pulley - 2.5 inch; Range of table feed per stroke of Ram - 0.009 in; Drive & electrical equipments - Hand Feed; Electric Motor - 1.5 HP; Drive Motor - 1440RPM; Overall Dimension of vice - 5 inch; Overall Length - 48; Overall Width - 30; overall Height - 54; with all standard tools & accessories						
5	Vertical Slotting Machine - Min Spec ;; Working Stroke - 150mm; Length of Ram - 560mm; Vertical adjustment of Ram - 150mm; Centre of cutting tools of column - 250mm; Working Surface of table - 280mm; Longitudinal Transverse of table - 250mm; Bore of Base - 38; No of speeds - 2; Range of Speeds - 60-150; RPM of motor - 1440; With all standard tools & accessories	0.001					
6	Vertical Milling Machine - Min Spec;; Table Size - 1250mm X 254mm; Travel Longitude - 900mm; Cross Ward - 380mm; Vertical - 325; Quill Dia - 127mm; Travel of Spindle Quill - 85mm dia; Spindle Taper - R8(N+-30); Rated Power HP -3; with all standard tools & accessories	0.001					
7	Universal Milling Machine - Min Spec;; Table Size - 1320mm X 360mm; Table Travel - 1000mm X 300mm; No/Width/Distance of T-Slot - 3-14-95; Spindle Taper - ISO50; Distance From Spindle axis to table surface - 0-400mm; Distance between Spindle axis to ram surface - 175mm; Spindle Speed Range - 58-1800/12 RPM; Spindle Speed motor - 4kw; Table feed speed range(mm/min) - 22-420/22-393/10-168; Ram Travel - 500mm; Overall Dimension - 2070 X 2050 X 1950 mm; With all standard accessories & diving head	2					
8	Horizontal Milling Machine - Min Spec;;Length X Width - 1134mm X 246mm; Longitudinal Traverse - 529mm; Cross Traverse - 227mm; Vertical Traverse - 454mm; Milling Spindle - NT 40; No of Speeds - 9; No fo Feeds - 3; With all std tools & accessories	0.001					
9	Surface Grinding Machine - Min Spec: Working Area - 225 X 350mm; Magentic Table Travel - 250 X 360mm; Grd. Height Under wheel - 240mm; Vertical feed graduation - 0.01mm; Cross feed graduation - 0.05mm; Elevator movement with microfeed - 0.002mm; Spindle Speed - 2800 RPM; Grinding Wheel (Dia X Bore	1					

	X width) - 178 X 31.75 X 12.7; 0.75 HP 3 phase motor; Magnetic chuck - 200 X 300mm; Diamond dresser with holder - 0.5CR; with all standard tools & accessories						
10	Power Hacksaw Machine - Min Spec: Max dia - 200mm; Max Square - 175mm; Non adjustable stroke length - 140mm; No of speed strokes - 3; Range of speed stroke - 80-100-125; Blade Size - 400 x 32 x 1.6; Power of main motor - 0.75kw, 415V, 3 phase, 50 Hz; Power of coolant motor - 0.09kw; with coolant system	1					
11	Planner Machine - Min Specs: Length of stroke - 4.5 in; Bed Length - 6.75in; Bed Width - 20 in; Centre of Vees - 16in; Length of table - 1600mm; Width of table - 635mm; Max width between arms - 838mm; Max Height under cross rail - 762mm; Face of upright - 152mm; Face of main slide - 254mm; Tool side adjustment - 178mm; Tool post size - 32mm; Counter shaft V-belt pulley dia - 448mm; Driving Pulley Dia - 254mm; Motor Pulley dia - 105mm; V belt size - No.3 X A-75; 1.5kw motor; with all standard tools & accessories	0.001					
12	Radial Drill Machine - Min Specs: Drilling Capacity - 25mm; Pillar diameter - 130mm; Spindle nose to table distance - 675mm; Spindle nose to base distance - 875mm; Distance from spindle centre to pillar surface - 635mm (max); Taper in spindle - MT -3; No of Speed - 8; Range of speed - 130 to 2600RPM; Work Table size - 200 X 200 X 250mm; Base Size (Machined Area) - 585 X 915mm; Overall Base Size - 610 X 944mm; Spindle Travel - 185mm; Pillar Length - 1265mm; Overall Height with Pulley Guard - 1700mm; V-Belt Section - B-43" & A-23"; Motor 1440 RPM, 3phase, 440 Volts - 1HP & 0.5HP; With all standard tools & accessories	1					
13	Capstan Lathe Machine - Min Specs: Spindle Hollow - 25mm; Maximum Collet Capacity - 20mm; Spindle Speed Range - 650-1660RPM; Effective Stroke of Turret Slide - 100mm; Bore Size in turret hex head - 25mm; Centre of holes above turret slide - 45mm; Cross slide traverse travel - 95mm; Cross slide longitudinal travel - 300mm; Length of bed - 980mm; Width of bed - 178mm; Height of centre above bed - 165mm; With following equipments - Manual Turret, Cross Slide with tool post, One coupling 165mm, spanner set,	1					

	Allen Key Set, Oil cane , Collet Chuck, Bar Feed Attachment, Electric Motor, Vertical Slide, Coolant pump & its fittings, Feed for turret slide, Panel board & its fittings						
14	Tool & Cutter Grinder - Min Specs - Table Dimension - 500 X 114 mm; Admit between centres - 300mm; Longitudinal Traverse - 250mm; Cross Traverse - 160mm; Swing over table - 300mm; Table swivel both sides - 45 deg; Motor head swivel both sides - 45 deg; Grinding head RPM - 2800rpm; T-slot Width - 13mm; Motor Power 3phase 440V - 1.5 Hp; With Universal work head, half & Full Centres, universal tool rest, lathe tool grinding attachment, reamer & end mill grinding attachment, Indexing head motorised, drill point grinding attachment, radius grinding attachment, tap grinding attachment, hob grinding attachment, radius wheel turning attachment, universal vice 3 way 4", tiling table - 5ft X 7ft, milling machine vice 3in, Coolant pump accessory with tank	0.001					
15	Pedestal Grinder - Min Spec - Size of Grinding Wheel (For vitrified bonds - 250 X 25 X 31.75; wheel centre distance - 645mm; Base to centre line of spindle - 860mm; Diameter of spindle bearings - 35mm;); Power of Moter - (For Vitrified bonded wheel - 1 HP; Speed of motor - 1400rpm;); For vitrified bonded wheel - 2292,	1					
16	Double Ended Bench Grinder Min Spec - Spindle Size – 1in; Spindle width – 20mm;Spindle bore – 20mm – Make – Bosch/Dewalt/Makita	2					

(*- Freight – Ex Ranchi)