PREJHA Foundation

Reference:1483-

PREJHA11/26/322

REQUEST FOR QUOTATION

FOR

Partner Empanelment for Supply of Tools and consumables for Tiles Masonry trade

Dated: 02nd November 2026

PanIIT Alumni Reach For Jharkhand Foundation

A Non-profit Special Purpose Joint Enterprise between agencies of Department of Welfare,Government of Jharkhand and
PanIIT Alumni Reach For India
Foundation,Kalyan Complex, Balihar
Road, Morabadi,
Ranchi – 834008, Jharkhand

Contents

Contents

DISCLAIMER **2**

SECTION 1: LETTER OF INVITATION **3**

PREFACE *5*

Purpose of RFQ *5*

Section 2: Instructions to Bidders **6**

General terms & Conditions *7*

STANDARD FORMS **21**

Form Tech 1: Letter *22*

Form Tech 2: Bidder's Organization and Experience *23*

Form Tech 3: Techno commercial Offer *24*

Form Tech 4: Compliance Certificate *25*

Form Fin1: Financial Bid Proforma *26*

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of it's knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Tools and consumables for Tiles Masonry trade for PREJHA Foundation's Training Centers in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms& selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation
Section 2 - Instructions to Bidders (including pre-qualification criteria)
Section 3 - Standard Forms

The information may be submitted online only at the following website.

https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action

The information may be viewed online at the following website.

https://www.jharkhand.gov.in/paniit

Yours faithfully,

Authorized signatory
PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi,
Ranchi – 834008, Jharkhand

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for- profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure Tools and consumables for Tiles Masonry trade required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	02.11.2026
2.	Start date for seeking Clarification	02.11.2026
3.	Last date for seeking clarification online from service provider (mjunction Services Limited)	09.11.2026 (06:00 PM)
4.	Bid submission start date (only on-line bid accepted)	02.11.2026
5.	Bid submission end date	17-11-2026 (08:00PM)
6.	Schedule date for Technical bid opening	17-11-2026
7	Comparative statement preparation by the system	17-11-2026

General terms & Conditions:

1. Detailed BOQ

S. No.	Specification	UOM
1	Notched Trowel with teeth, 28cm Tile adhesive application; suitable notch size for wall/floor tiling. Make- Ingco/Total/Wadfow	each
2	Black Rubber Hammer Non-marking rubber head;min 200gmweight, suitable for tile positioning and leveling. Make: Generic/Stanley/Gizmo or equivalent	each
3	Spirit Level – 0.6 m (60 cm) Heavy-duty spirit level; for balancing the level, minimum 600 mm length. Make: Black & Decker/Stanley/Freemans/Taparia	each
4	Spirit Level – 1.0 m Heavy-duty spirit level; for balancing the level, minimum 1000 mm length. Make: Black & Decker/Stanley/Freemans/Taparia	each
5	Masking Tape length- 20m, width- 1", General-purpose masking tape suitable for tile finishing/protection work. Make: Mario/Trugrip/Bonjil or equivalent	each
6	Glue Mixing Machine heavy-duty electric motor with a minimum power input of 800w, 220–240 V AC, 50 Hz, supplied with a suitable mixing paddle/stirrer and compatible mounting arrangement, include all standard accessories required for operation, minimum one-year, electric adhesive/grout mixing machine suitable for tile installation materials, manufacturer's warranty. Make: Taparia/Makita/Bosch	each
7	3D Tile Levelling Clips 2mm/3mm, Reusable/compatible for uniform alignment.	each

	Make: Delgon Laticare Premium Grade/Robustt or equivalent	
8	Tile Levelling Wedges 2mm/3mm, Compatible wedges for tile levelling clips; durable and reusable	each
9	Tile Levelling System Plier Adjustable plier suitable for tightening tile levelling clips, For Removing lippage unevenness during Tile Laying in both floor & walls Make: HiFam/Arudip/Nalmie or equivalent	each
10	Tile Spacer 2mm/3mm/ 4mm, pack of 100pc	each
11	Durable PVC Bucket, capacity- min 15 Ltr	each
12	Durable PVC Bucket, capacity- min 25 Ltr	each
13	2.5"x1.5"x8' aluminium straight edge Suitable for professional Wall & Floor Tiling training and installation work; good-quality. Make: A.R.K Aluminium/Tata Vikash/Hindalco	each
14	2.5"x1.5"x6' aluminium straight edge Suitable for professional Wall & Floor Tiling training and installation work; good-quality, durable construction. Make: A.R.K Aluminium/Tata Vikash/Hindalco	each
15	Cotton Hand Gloves suitable for general tile work/industrial work.	each
16	8" Suction Cup Lifter Min load capacity- 100kg, high quality rubber, Suitable for professional Wall & Floor Tiling work	each
17	Trowel Masonry/tile work trowel with durable steel blade and comfortable handle. Make:Taparia, Ingico, tradocare	each
18	Pointing Trowel Pointing trowel suitable for grout/mortar finishing. Make:Taparia, Ingico, tradocare	each
19	Flat Scraper heavy duty steel scraper blade,Rust resistant, plastic handle Make: Hasthip/Aasons/Alyco or equivalent	each
20	4" curing brush synthetic material, Durable & Reusable	each
21	N95 respiratory Nose Mask	each
22	Line thread Material- Cotton,min length 10m, usages in industrial and construction work	each
23	Hole Saw Cutter, min dia :100mm Hole saw set suitable for tile/ceramic drilling in required diameters. Make: Makita, Bosch, Stanley or equivalent	each
24	Manual Tile Cutter 24" blade thickness-3mm, Length- 600mm, Width-195cm (steel base size) Thickness- 12mm (max cutting thickness), Tungsten Carbide Cutting Wheel	each

25	Aluminium tile Corner Trim, 10mm	each
26	Tile Cutting GC 60 Blade dia- 4", suitable for tile cutting; GC 60 grade or equivalent. Make- Bosch, Makita, Agni, Taparia	each
27	Tile Cutting DC Blade 4" Diamond cutting blade suitable for tile cutting Make:Bosch, Makita, Agni, Taparia	each
28	Tile Cutting GC 120 Blade 4" suitable for tile cutting; GC 120 grade or equivalent., durable construction. Make:Bosch, Makita, Agni, Taparia	each
29	Granite Stone Cutting Blade 4" Suitable for granite cutting, good-quality, durable construction. Make: Bosch/Taparia/Agni/Makita	each
30	Marble Cutting Blade 4" Suitable for marble cutting, good-quality, durable construction. Make: Bosch/Taparia/Makita/Agni	each
31	Angle Grinders Machine 4" input power of at least 660 W, operate on a 220–240 V AC, 50 Hz single-phase power supply, no-load speed of at least 10,000 RPM, suitable for cutting and grinding metal and other compatible materials Make: Bosch/Dewalt/Makita	each
32	Electric Drill Machine min rated input power of 500 W and operate on a 220–240 V AC, 50 Hz power supply. It should have a keyed chuck with a capacity of 1–10 mm or higher and a variable no-load speed of up to at least 2,500 RPM, drill should support both forward and reverse rotation, suitable for drilling in wood, metal and masonry, supplied with accessory kit containing suitable masonry, metal and wood drill bits, screwdriver bits, sockets and commonly used hand tools and fixing accessories, along with a sturdy carrying case, minimum 1 year manufacturer warranty. Make: Bosch/Makita/ Dewalt	each
33	C-Shaped G clamping Tools 4" Anti rust, Suitable for professional Wall & Floor Tiling training and installation work; good-quality, durable construction	each
34	Chalk Line Dori Chalk line reel/string suitable for accurate setting-out. Make: Taparia/Ingco/Stanley	each
35	Line Laser with tripod stand Min length: 12cm, Min Working range-15 m, Accuracy :±0.2 mm/m , Non magnet, Self-leveling line laser suitable for horizontal/vertical alignment and tile setting-out, Min warranty: 1 year Make: Bosch/Stanley/Freemans/Makita	each
36	Tile Vibrator Min dia: 120mm, suction capacity :min 50 kg , Portable tile vibrator suitable for large-format tile bedding and adhesive consolidation.	each
37	Plastic Measuring Mugs, 1000ml	each
38	45 degree tile cutting plate Material : Metal Alloy Body With Base Plate, use Angle Grinder-Precision Bevel Cutter Fixture for Tiles	each
39	Rubber Grout Float(9"x3.5") Ideal for Cement and Epoxy Grout: Designed specifically for filling gaps between tiles	each

40	3M Safety Goggles Protector Eyewear for Multipurpose Eyewear Use for Dust & Construction Work, Clear Transparent Goggles Make: Karam, Taparia, Stanley or equivalent	each
41	Safety Ear Plug Hearing protection ear plugs suitable for construction/workshop noise. Make: 3 M/Honeywell/ Karam or equivalent	each
42	PVC Blue drum, min capacity -240 Ltr	each
43	Tile Adesive, 20kg Suitable for fixing ceramic and clay tiles Make: UltraTech/ Tilefixo Sumo /Asian	each
44	Vitrified double chat Tile (600x1200mm) Thickness- 9 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	each
45	Vitrified Single chat Tile(600x600mm) Thickness- 8 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	each
46	Vitrified double chatTile(600x600mm) Thickness- 9 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	each
47	Vitrified double chatTile(300x600mm) Thickness-9 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	each
48	Makrana White Marble, Thickness-14mm Natural Makrana white marble; uniform thickness/finish, suitable for training	Sq ft
49	Granite Stone, Thickness-18 mm Good-quality granite stone slab/tile; uniform thickness and suitable for training	Sq ft
50	Kota Stone, Thickness- 19 mm Kota stone; uniform thickness and suitable for floor installation practice.	Sq ft

For Estimation purpose only
(**- Freight – Ex Ranchi)

2. Definitions

- "**Buyer**" means PREJHA Foundation
- "**Bidder**" means suppliers or contractors who have participated in tender
- "**The Vendor**" means the supplier or contractor or service provider to whom the Order is addressed.
- "**The Purchase Order"** means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- **The Goods / Services**" means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action and will be binding on them. To

give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action

a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified

b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,
Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

c) They may obtain further information regarding this tender from the office of PREJHA, Kaushal College, Near women's college(Science Block), New Nagratoli Road, Ranchi – 834001 from 10:00 hours to 17:00 hours on allworking days till the date of bidding is open.

Contact Person : Shekhar Kumar,
Contact number: 9835932882
Email id: shekhar.k@parfi.org

d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal operated/ maintained by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of min** 180 days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.
The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA-mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

Sl. No	PQR Condition	Bidder Remarks
PQ Condition	Have previously supplied the similar items to any institutional buyers preferably private or public sector companies or training enterprises within past 3 years.	

Bidder should submit the prequalification documents at the portal

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation.The Procurement System will determine the lowest financial bid including on a possible line-item basisamong the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA)for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email. The selected bidder shall submit security deposit of 5% of the estimated order value in the form of either a bank guarantee from a scheduled bank or a PDC or a DD drawn on any scheduled bank in favour of "PanIIT Alumni Reach for Jharkhand Foundation" payable at par in Ranchi.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase

orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.

6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
   - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;
   - purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer;

11. Indicative Delivery Schedule

- Goods to be delivered at our institutes as per following as needed:

S. No	Name of the Institution	Delivery Schedule
1	Kalyan Gurukul Bokaro	Within 15 days of signing of contract
2	Kalyan Gurukul Chatra	
3	Kalyan Gurukul Deoghar	
4	Kalyan Gurukul Dhanbad	
5	Kalyan Gurukul Dumka	
6	Kalyan Gurukul Saraidaha	
7	Kalyan Gurukul Jamshedpur	
8	Kalyan Gurukul Garhwa	
9	Kalyan Gurukul Giridih	
10	Kalyan Gurukul Godda	
11	Kalyan Gurukul Gumla	
12	Kalyan Gurukul Hazaribagh	
13	Kalyan Gurukul Jamtara	
14	Kalyan Gurukul Khunti	
15	Kalyan Gurukul Koderma	
16	Kalyan Gurukul Latehar	
17	Kalyan Gurukul Pakur	
18	Kalyan Gurukul Palamu	

19	Kalyan Gurukul Ramgarh	
20	Kalyan Gurukul Bero	
21	Kalyan Gurukul Bundu	
22	Kalyan Gurukul Kanke	
23	Kalyan Gurukul Seraikela-Kharsawan	
24	Kalyan Gurukul Sini	
25	Kalyan Gurukul Biru	
26	Kalyan Gurukul Simdega	
27	Kalyan Gurukul Chaibasa	
28	Kalyan Gurukul Tantnagar	
29	ITI Kaushal College ,Ranchi	
30	Nursing Kaushal College Chanho, Ranchi	
31	Nursing Kaushal College Itki , Ranchi	
32	Nursing Kaushal College Saraikela	
33	Nursing Kaushal College Sahebganj	
34	Nursing Kaushal College Chaibasa	
35	Nursing Kaushal College Gumla	
36	Nursing Kaushal College Jamtara	
37	Nursing Kaushal College Latehar	
38	Any other institutions run by Prejha foundation across Jharkhand	

12. Payment Terms

a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.

b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

13. Unloading

a. Unloading is in Vendor's scope; cost & arrangement will be borne by Vendor.

b. The risk of all materials till receipt at location will be in vendor's scope.

14. Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

15. Warranty/ Guarantee

a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.

b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.

c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

16. Inspection

a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of delivery indicated by the Buyer.

b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.

c) All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor's account.

d) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

17. Damage or loss in transit

a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.
b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

18. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the
- Conditions of the Order:

a. Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
b. Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

19. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrine in the undertaking in bidding document and contract

20. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract

21. Jurisdiction.

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

TECH FORMS	FORM NAME	Mention list of all supporting documents attached
TECH-1	Letter of proposal submission	Pls scan & attach
Pancard	Pan Card	Pls scan & attach
GST Return	Latest GST Return document(GSTR-3B)	Pls scan & attach
Fin - 1	Financial Bid Format	Pls scan & attach

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director
PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi,
Ranchi – 834008, Jharkhand

We, the undersigned, offer to Supply of Tools and consumables for Tiles Masonry trade for PREJHA Foundation, in accordance with your Request for Quotation dated 02-11-2026. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract

Yours faithfully,

*Authorized Signatory [*In full and Designation*]: Name and Title of Signatory:
Name of
Bidder:
Address:

Form Fin1: Financial Bid Proforma

S. No	Item Description	Estimated Qty annually	Unit Rate	Estimated Value	Tax %	Tax	Freight
1	Notched Trowel with teeth, 28cm Tile adhesive application; suitable notch size for wall/floor tiling. Make- Ingco/Total/Wadfow	150					
2	Black Rubber Hammer Non-marking rubber head;min 200gmweight, suitable for tile positioning and leveling. Make: Generic/Stanley/Gizmo or equivalent	150					
3	Spirit Level – 0.6 m (60 cm) Heavy-duty spirit level; for balancing the level, minimum 600 mm length. Make: Black & Decker/Stanley/Freemans/Taparia	150					
4	Spirit Level – 1.0 m Heavy-duty spirit level; for balancing the level, minimum 1000 mm length. Make: Black & Decker/Stanley/Freemans/Taparia	50					
5	Masking Tape length- 20m, width- 1", General-purpose masking tape suitable for tile finishing/protection work. Make: Mario/Trugrip/Bonjil or equivalent	15					
6	Glue Mixing Machine heavy-duty electric motor with a minimum power input of 800w, 220–240 V AC, 50 Hz, supplied with a suitable mixing paddle/stirrer and compatible mounting arrangement, include all standard accessories required for operation, minimum one-year, electric adhesive/grout mixing machine suitable for tile installation materials, manufacturer's warranty. Make: Taparia/Makita/Bosch	15					
7	3D Tile Levelling Clips 2mm/3mm, Reusable/compatible for uniform alignment. Make: Delgon Laticare Premium Grade/Robustt or equivalent	300					
8	Tile Levelling Wedges 2mm/3mm, Compatible wedges for tile levelling clips; durable and reusable	300					
9	Tile Levelling System Plier Adjustable plier suitable for tightening tile levelling clips, For Removing lippage unevenness during Tile Laying in both floor & walls Make: HiFam/Arudip/Nalmie or equivalent	150					
10	Tile Spacer 2mm/3mm/ 4mm, pack of 100pc	150					
11	Durable PVC Bucket, capacity- min 15 Ltr	100					

12	Durable PVC Bucket, capacity- min 25 Ltr	100					
13	2.5"x1.5"x8' aluminium straight edge Suitable for professional Wall & Floor Tiling training and installation work; good-quality. Make: A.R.K Aluminium/Tata Vikash/Hindalco	70					
14	2.5"x1.5"x6' aluminium straight edge Suitable for professional Wall & Floor Tiling training and installation work; good-quality, durable construction. Make: A.R.K Aluminium/Tata Vikash/Hindalco	70					
15	Cotton Hand Gloves suitable for general tile work/industrial work.	150					
16	8" Suction Cup Lifter Min load capacity- 100kg, high quality rubber, Suitable for professional Wall & Floor Tiling work	70					
17	Trowel Masonry/tile work trowel with durable steel blade and comfortable handle. Make:Taparia, Ingico, tradocare	100					
18	Pointing Trowel Pointing trowel suitable for grout/mortar finishing. Make:Taparia, Ingico, tradocare	100					
19	Flat Scraper heavy duty steel scraper blade,Rust resistant, plastic handle Make: Hasthip/Aasons/Alyco or equivalent	100					
20	4" curing brush synthetic material, Durable & Reusable	150					
21	N95 respiratory Nose Mask	300					
22	Line thread Material- Cotton,min length 10m, usages in industrial and construction work	150					
23	Hole Saw Cutter, min dia :100mm Hole saw set suitable for tile/ceramic drilling in required diameters. Make: Makita, Bosch, Stanley or equivalent	150					
24	Manual Tile Cutter 24" blade thickness-3mm, Length- 600mm, Width-195cm (steel base size) Thickness- 12mm (max cutting thickness), Tungsten Carbide Cutting Wheel	150					
25	Aluminium tile Corner Trim, 10mm	100					
26	Tile Cutting GC 60 Blade dia- 4", suitable for tile cutting; GC 60 grade or equivalent. Make- Bosch, Makita, Agni, Taparia	25					

27	Tile Cutting DC Blade 4" Diamond cutting blade suitable for tile cutting Make:Bosch, Makita, Agni, Taparia	25					
28	Tile Cutting GC 120 Blade 4" suitable for tile cutting; GC 120 grade or equivalent., durable construction. Make:Bosch, Makita, Agni, Taparia	25					
29	Granite Stone Cutting Blade 4" Suitable for granite cutting, good-quality, durable construction. Make: Bosch/Taparia/Agni/Makita	25					
30	Marble Cutting Blade 4" Suitable for marble cutting, good-quality, durable construction. Make: Bosch/Taparia/Makita/Agni	25					
31	Angle Grinders Machine 4" input power of at least 660 W, operate on a 220–240 V AC, 50 Hz single-phase power supply, no-load speed of at least 10,000 RPM, suitable for cutting and grinding metal and other compatible materials Make: Bosch/Dewalt/Makita	25					
32	Electric Drill Machine min rated input power of 500 W and operate on a 220–240 V AC, 50 Hz power supply. It should have a keyed chuck with a capacity of 1–10 mm or higher and a variable no-load speed of up to at least 2,500 RPM, drill should support both forward and reverse rotation, suitable for drilling in wood, metal and masonry, supplied with accessory kit containing suitable masonry, metal and wood drill bits, screwdriver bits, sockets and commonly used hand tools and fixing accessories, along with a sturdy carrying case, minimum 1 year manufacturer warranty. Make: Bosch/Makita/ Dewalt	15					
33	C-Shaped G clamping Tools 4" Anti rust, Suitable for professional Wall & Floor Tiling training and installation work; good-quality, durable construction	25					
34	Chalk Line Dori Chalk line reel/string suitable for accurate setting-out. Make: Taparia/Ingco/Stanley	25					
35	Line Laser with tripod stand Min length: 12cm, Min Working range-15 m, Accuracy :±0.2 mm/m , Non magnet, Self-leveling line laser suitable for horizontal/vertical alignment and tile setting-out, Min warranty: 1 year Make: Bosch/Stanley/Freemans/Makita	10					
36	Tile Vibrator Min dia: 120mm, suction capacity :min 50 kg , Portable tile vibrator suitable for large-format tile bedding and adhesive consolidation.	10					
37	Plastic Measuring Mugs, 1000ml	150					
38	45 degree tile cutting plate Material : Metal Alloy Body With Base Plate, use Angle Grinder-Precision Bevel Cutter Fixture for Tiles	25					

39	Rubber Grout Float(9"x3.5") Ideal for Cement and Epoxy Grout: Designed specifically for filling gaps between tiles	25					
40	3M Safety Goggles Protector Eyewear for Multipurpose Eyewear Use for Dust & Construction Work, Clear Transparent Goggles Make: Karam, Taparia, Stanley or equivalent	150					
41	Safety Ear Plug Hearing protection ear plugs suitable for construction/workshop noise. Make: 3 M/Honeywell/ Karam or equivalent	150					
42	PVC Blue drum, min capacity -240 Ltr	50					
43	Tile Adesive, 20kg Suitable for fixing ceramic and clay tiles Make: UltraTech/ Tilefixo Sumo /Asian	150					
44	Vitrified double chat Tile (600x1200mm) Thickness- 9 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	400					
45	Vitrified Single chat Tile(600x600mm) Thickness- 8 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	400					
46	Vitrified double chatTile(600x600mm) Thickness- 9 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	400					
47	Vitrified double chatTile(300x600mm) Thickness-9 mm good-quality, durable, making them stain and moisture-resistant Make: Kajaria/Somany/Simpolo/Johnson/Sisam	400					
48	Makrana White Marble, Thickness-14mm Natural Makrana white marble; uniform thickness/finish, suitable for training	800					
49	Granite Stone, Thickness-18 mm Good-quality granite stone slab/tile; uniform thickness and suitable for training	800					
50	Kota Stone, Thickness- 19 mm Kota stone; uniform thickness and suitable for floor installation practice.	800					

*For Estimation purpose only

(**- Freight – Ex Ranchi)