

PREJHA Foundation
Reference:1451-PREJHA
04/26/291

REQUEST FOR QUOTATION

FOR

Partner Empanelment & Supply of Furniture items

Dated: 03-04-2026

PanIIT Alumni Reach For Jharkhand Foundation

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of
Welfare, Government of Jharkhand and
PanIIT Alumni Reach For India
Foundation, Kalyan Complex, Balihar
Road, Morabadi,
Ranchi - 834008, Jharkhand**

Contents

Contents

DISCLAIMER	2
SECTION 1: LETTER OF INVITATION	3
<i>PREFACE</i>	5
<i>Purpose of RFQ</i>	5
Section 2: Instructions to Bidders	6
<i>General terms & Conditions</i>	7
STANDARD FORMS	16
<i>Form Tech 1: Letter</i>	18
<i>Form Fin1: Financial Bid Proforma</i>	21

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of its knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Furniture items for PREJHA Foundation's Training Centers in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation

Section 2 - Instructions to Bidders (including pre-qualification criteria)

Section 3 - Standard Forms

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action>

Tender can also be viewed on the following website-

<https://jharkhand.gov.in/Home/DocumentList?doctype=e4da3b7fbbce2345d7772b0674a318d5&subdoctype=9bf31c7ff062936a96d3c8bd1f8f2ff3>

Yours faithfully,

Authorized signatory

**PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi, Ranchi
- 834008, Jharkhand**

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFP

The objective of this assignment is to procure furniture and related items required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavour to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	03.04.2026
2.	Start date for seeking Clarification	03.04.2026
3.	Last date for seeking clarification online from service provider (mjunction Services Limited)	08.04.2026 (06:00 PM)
4.	Bid submission start date (only on-line bid accepted)	03.04.2026
5.	Bid submission end date	16.04.2026 (08:00PM)
6.	Schedule date for Technical bid opening	16.04.2026
7.	Comparative statement preparation by the system	16.04.2026

General terms & Conditions:

1. Detailed BOQ

S. No.	Item descriptions	UOM
1	<p>*Arm Chair Type: Net Back Arm Chair with padded Polyurethane Foam seat and PP die-moulded Net Fabric backrest Chair Height: 910 mm Backrest Height: 460 mm Backrest Width: 455 mm (centre) and 400 mm (top) Seat Width: 460 mm Seat Depth: 510 mm (clear size: 410 mm) Seat Height: 465 mm (front) and 420 mm (rear) Attached Armrests: Length 320 mm (end to end), Width 52 mm Frame Material: MS Steel Pipe Material Size: 25 mm diameter, Thickness 1.6 mm Finish: Chrome plated Shoe Type: PVC Seat Material: Hot processed plywood (thickness 12 mm) Polyurethane Foam Density: 25 Kg/Cub. M (thickness 50 mm) Seat Cover Material: Crap cloth Back Cover Material: Net cloth Fabric Color: Black</p>	Each
2	<p>Mid Back Revolving Chairs 360 degree revolving type chair designed with upright position locking and tilt tension adjustment Chair dimensions: 76.3cm (W) x 76.3cm (H) x 85.5-97.5cm (H) Seat height: 42.5-54.5cm Back size: 47.5cm (W) x 58.0cm (H) Seat size: 47cm (W) x 48cm (D) Seat and back made of 1.2+/- 0.2cm thick hot pressed plywood, upholstered with fabric upholstery covers and molded polyurethane foam Back foam designed with contours lumbar support and the seat has extra thick foam on front edge for comfort to popliteal area .High Resilience Polyurethane foam molded with density of 45+/-2 Kg/m3 and hardness load 16+/-2 Kgf as per IS: 7888 for 25% compression One-piece armrests molded from black co-polymer Polypropylene Seat/back tilting ratio: 1:3 Pneumatic height adjustment with an adjustment stroke of 12+/-0.3cm Below: 3 piece telescopic type injection molded in black polypropylene Pedestal: injection molded in black 33% glass filled nylon-66, fitted with 5 twin wheel castors Pedestal dia: 66.3cm+/-0.5cm Twin wheel castors: injection molded in black nylon.</p>	Each
3	<p>Steel office almirah(storewell): Shall be size 916 mm (W) X486 mm(D) X 1981mm(H). It shall have welded construction made of 1 mm thick CRCA for back, Shelf & 1 mm thick CRCA for all other components and shall have steel hinged door. It shall have four full shelves. The finish shall be Epoxy Polyester Powder coated and having anti rust treatment to the thickness of 50 microns (+/-10). All steel structure components shall be processed and made from virgin material. Locks :6 lever mazak zinc plated Godrej or equivalent lock. 40mm adjuster 4 nos at the bottom to be provided</p>	Each
4	<p>Steel Rack size :78" H X 36" B X 15" Deep Shelf made up to 20 Gauge CRCA Sheet Size 36" X15" and Slotted Angle of 2 mm fitted with 5 Shelf.All metal parts should be powder coated.</p>	Each
5	<p>*Study Table with inbuilt wire management system & 2 round wire managers at corners & switch- socket combines (2 nos) attached to 19mm thick plybase(ideally 0.75 ft to 1 foot height) in between Metal legs Length 1200 mm (4 ft) Width 600 mm(2 ft) Height 750 mm(2.5 ft) Thickness Of Top 19 mm, Number Of Metal Frame 1.All Exposed Sides Are Edge Banded With PVC Tape Of Thickness 1.5 To 2.0 Mm. Rubber shoes are provided to prevent slipping. The material of the top</p>	Each

	will be plywood with edge banding tape on both sides, and the top has a thickness of 19 mm. The table has 4 legs made from MS tube with dimensions of 40 mm x 40 mm and a thickness of 1.2 mm. The color of the laminate is subject to approval by the client.	
6	Library table : size - 1800mm x 1200mm x 750mm (H). Top and understructure made up of :BWP grade pinewood plywood of 19mm and 12mm pasted with 0.80 mm sirmica all over. Topsize - 180mm x 1200mm x 32mm (thickness). Understructure size : 48" (L) x 30" (w) x 30" (H) with two cupboards and four doors for storage section.	Each
7	Office Table with one side cup board and other side 3 drawer. Dimension 1500mmX750mmX750mm. Top Made up of 17mm thick Prelaminated Particle Board. Understructure made up of 25 mm x 25 mm 16 gauge square pipe Cup board made up of 0.80 mm CRCA sheet with provision of lock.	Each
8	Synthetic Fibre Stackable armchairs Make: Durian/Neelkamal/Supreme/Cello	Each
9	Plastic Armless Chair with Steel Legs; Dimension in cm (approx.): 55W X 44D X 80H; Primary Material: Plastic; Secondary Material – Base: Stainless Steel Easy to Stack and Clean	Each
10	Stackable Bed: size-72"x36"x20", legs made up of 32mm round pipe, frame made up of 25mm square pipe and 19mm square pipe, bed top made up of 17mm plain MDF Board, Bed size-72"x36"	Each
11	Table without Drawer Size: 1200mm (L) X 750mm (W) X 725mm (H) with inbuilt wire management system & 2 round wire managers at corners & switch-socket combines (2 nos) attached to 19mm thick ply base(ideally 0.75 ft to 1 foot height) in between Metal legs. Understructure frame: 40X40X1.6mm MS pipe Provided with 25mm PLB Top with PVC Edge bind (Complete in White Colour)	Each
12	Plastic Moulded Chair Without Arms Without Cushion (Stackable). Dimension in cm (approx.): 55W X 44D X 80H; Material: Plastic/Virgin polymer with Stainless Steel legs Color : Blue/Red/Black/White (As preferred by PREJHA Team) Make: Durian/Nilkamal/Supreme/Cello	Each

(*- Freight – Ex Ranchi)

2. Definitions

- "Buyer" means PREJHA Foundation
- "Bidder" means suppliers or contractors who have participated in tender
- "The Vendor" means the supplier or contractor or service provider to whom the Order is addressed.
- "The Purchase Order" means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- "The Goods / Services" means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

<https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action>

- a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6th Floor, Tata Centre.43 J N
Road, Kolkata – 700 071,

Contact Person: Helpdesk Officer Sumant Kumar

Choudhary9163348104, sumant.choudary@mjunction.in

- c) They may obtain further information regarding this tender from the office of PREJHA, Kaushal college, near womens college (science block), Nagratoli, circular Road, Ranchi – 834001 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open

Contact Person : Shekhar Kumar, Procurement, PREJHA

Contact No.: 9835932882

Email-ID: shekhar.k@parfi.org

- d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal maintained by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of 180** days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as a vendor, his/her proposal will remain the same for the whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA-mjunction webpage. Bidders keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

Sl. No.	PQR Condition	Bidder Remarks
1.	Have previously supplied the similar materials to any institutional buyers preferably private or public sector companies or within past 2 years. Previous Pos copies will be required	

Bidder should submit the prequalification documents at the portal

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA) for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.
6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BOQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
 - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;
 - purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer;

11. Indicative Delivery Schedule

- Goods to be delivered at our institutes as per following as needed:

S. No	Name of the Institution	Delivery Schedule
1	Kalyan Gurukul Bokaro	
2	Kalyan Gurukul Chatra	
3	Kalyan Gurukul Deoghar	
4	Kalyan Gurukul Dhanbad	
5	Kalyan Gurukul Dumka	

6	Kalyan Gurukul Saraidaha	Within 30 days of release of Purchase Order	
7	Kalyan Gurukul Jamshedpur		
8	Kalyan Gurukul Garhwa		
9	Kalyan Gurukul Giridih		
10	Kalyan Gurukul Godda		
11	Kalyan Gurukul Gumla		
12	Kalyan Gurukul Hazaribagh		
13	Kalyan Gurukul Jamtara		
14	Kalyan Gurukul Khunti		
15	Kalyan Gurukul Koderma		
16	Kalyan Gurukul Latehar		
17	Kalyan Gurukul Pakur		
18	Kalyan Gurukul Palamu		
19	Kalyan Gurukul Ramgarh		
20	Kalyan Gurukul Bero		
21	Kalyan Gurukul Bundu		
22	Kalyan Gurukul Kanke		
23	Kalyan Gurukul Seraikela-Kharsawan		
24	Kalyan Gurukul Sini		
25	Kalyan Gurukul Biru		
26	Kalyan Gurukul Simdega		
27	Kalyan Gurukul Chaibasa		
28	Kalyan Gurukul Tantnagar		
29	ITI Kaushal College ,Ranchi		
30	Nursing Kaushal College Chanho, Ranchi		
31	Nursing Kaushal College Itki , Ranchi		
32	Nursing Kaushal College Saraikela		
33	Nursing Kaushal College Sahebganj		
34	Nursing Kaushal College Chaibasa		
35	Nursing Kaushal College Gumla		
36	Nursing Kaushal College Jamtara		
37	Nursing Kaushal College Latehar		
38	Any other Jharkhand based institutions run by PREJHA Foundation		

12. Payment Terms

- a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods On Time as per the Purchase Order delivery schedule, 100% payment will be done within 45 days subjected to submission of Invoice and delivery challan of each unit.
- b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit

13. Unloading (QR code tagging)

- a. Unloading is in Vendor's scope; cost & arrangement will be borne by Vendor.
- b. The risk of all materials till receipt at location will be in the vendor's scope.
- c. PREJHA foundation may, at its sole discretion, supply QR code stickers for items being produced which must be attached to the corresponding goods before the shipment of supplies. The QR code may be used to check the consignment for matching of specifications and may be done on 100% or random basis at the time of receipt.

14. Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

15. Warranty/ Guarantee

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.
- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

16. Inspection

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of delivery indicated by the Buyer.
- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.
- c) All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to the vendor's account.
- d) The Buyer under no circumstances will be liable or held accountable for any damage, loss,

deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

17. Damage or loss in transit

Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit. The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

18. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

19. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrined in the undertaking in bidding document and contract

20. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract

21. Jurisdiction.

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director

PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi, Ranchi
- 834008, Jharkhand

We, the undersigned, offer to supply furniture and other related items for PREJHA Foundation, in accordance with your Request for Quotation dated 03.04.26 We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract

Yours faithfully,

*Authorized Signatory [*In full and Designation*]: Name and Title of
Signatory: Name of
Bidder:
Address:

Form Fin1: Financial Bid Proforma

TENDER PROFORMA for Commercial							
PREJHA Reference No							
Name of Bidder							
S N	Item Description	Estim ated Qty	Unit Rate	Estimat ed Value	Tax %	Tax	Freight

1	<p>*Arm Chair Type: Net Back Arm Chair with padded Polyurethane Foam seat and PP die-moulded Net Fabric backrest Chair Height: 910 mm Backrest Height: 460 mm Backrest Width: 455 mm (centre) and 400 mm (top) Seat Width: 460 mm Seat Depth: 510 mm (clear size: 410 mm) Seat Height: 465 mm (front) and 420 mm (rear) Attached Armrests: Length 320 mm (end to end), Width 52 mm Frame Material: MS Steel Pipe Material Size: 25 mm diameter, Thickness 1.6 mm Finish: Chrome plated Shoe Type: PVC Seat Material: Hot processed plywood (thickness 12 mm) Polyurethane Foam Density: 25 Kg/Cub. M (thickness 50 mm) Seat Cover Material: Crap cloth Back Cover Material: Net cloth Fabric Color: Black</p>	100					
2	<p>Mid Back Revolving Chairs 360 degree revolving type chair designed with upright position locking and tilt tension adjustment Chair dimensions: 76.3cm (W) x 76.3cm (H) x 85.5-97.5cm (H) Seat height: 42.5-54.5cm Back size: 47.5cm (W) x 58.0cm (H) Seat size: 47cm (W) x 48cm (D) Seat and back made of 1.2+/- 0.2cm thick hot pressed plywood, upholstered with fabric upholstery covers and molded polyurethane foam Back foam designed with contours lumbar support and the seat has extra thick foam on front edge for comfort to popliteal area .High Resilience Polyurethane foam molded with density of 45+/-2 Kg/m3 and hardness load 16+/-2 Kgf as per IS: 7888 for 25% compression One-piece armrests molded from black co-polymer Polypropylene Seat/back tilting ratio: 1:3 Pneumatic height adjustment with an adjustment stroke of 12+/-0.3cm Below: 3 piece telescopic type injection molded in black polypropylene Pedestal: injection molded in black 33% glass filled nylon-66, fitted with 5 twin wheel castors Pedestal dia: 66.3cm+/-0.5cm Twin wheel castors: injection molded in black</p>	50					

	nylon.						
3	Steel office almirah(storewell): Shall be size 916 mm (W) X486 mm(D) X 1981mm(H). It shall have welded construction made of 1 mm thick CRCA for back, Shelf & 1 mm thick CRCA for all other components and shall have steel hinged door. It shall have four full shelves. The finish shall be Epoxy Polyester Powder coated and having anti rust treatment to the thickness of 50 microns (+/-10). All steel structure components shall be processed and made from virgin material. Locks :6 lever mazak zinc plated Godrej or equivalent lock. 40mm adjuster 4 nos at the bottom to be provided	30					
4	Steel Rack size :78" H X 36"B X 15" Deep Shelf made up to 20 Gauge CRCA Sheet Size 36" X15" and Slotted Angle of 2 mm fitted with 5 Shelf.All metal parts should be powder coated.	30					
5	*Study Table with inbuilt wire management system & 2 round wire managers at corners & switch- socket combines (2 nos) attached to 19mm thick plybase(ideally 0.75 ft to 1 foot height) in between Metal legs Length 1200 mm (4 ft) Width 600 mm(2 ft) Height 750 mm(2.5 ft) Thickness Of Top 19 mm, Number Of Metal Frame 1.All Exposed Sides Are Edge Banded With PVC Tape Of Thickness 1.5 To 2.0 Mm. Rubber shoes are provided to prevent slipping. The material of the top will be plywood with edge banding tape on both sides, and the top has a thickness of 19 mm. The table has 4 legs made from MS tube with dimensions of 40 mm x 40 mm and a thickness of 1.2 mm. The color of the laminate is subject to approval by the client.	100					
6	Library table : size - 1800mm x 1200mm x 750mm (H). Top and understructure made up of :BWP grade pinewood plywood of 19mm and 12mm pasted with 0.80 mm sirmica all over. Top size - 180mm x 1200mm x 32mm (thickness). Understructure size : 48"(L) x 30" (w) x 30" (H)with two cupboards and four doors for storage section.	30					
7	Office Table with one side cup board and other side 3 drawer. Dimension 1500mmX750mmX750mm. Top Made up of 17mm thick Prelaminated Particle Board. Understructure made up of 25 mm x 25 mm 16 gauge square pipe Cup board made up of 0.80 mm CRCA sheet with provision of lock.	30					

8	Synthetic Fibre Stackable armchairs Make: Durian/Neelkamal/Supreme/Cello	200					
9	Plastic Armless Chair with Steel Legs; Dimension in cm (approx.): 55W X 44D X 80H; Primary Material: Plastic; Secondary Material – Base: Stainless Steel Easy to Stack and Clean	200					
10	Stackable Bed: size-72"x36"x20", legs made up of 32mm round pipe, framemade up of 25mm square pipe and 19mm square pipe, bed top made up of 17mm plain MDF Board, Bed size-72"x36"	200					
11	Table without Drawer Size: 1200mm (L) X 750mm (W) X 725mm (H) with inbuilt wire management system & 2 round wire managers at corners & switch-socket combines (2 nos) attached to 19mm thick ply base(ideally 0.75 ft to 1 foot height) in between Metal legs. Understructure frame: 40X40X1.6mm MS pipe Provided with 25mm PLB Top with PVC Edge bind (Complete in White Colour)	50					
12	Plastic Moulded Chair Without Arms Without Cushion (Stackable). Dimension in cm (approx.): 55W X 44D X 80H; Material: Plastic/Virgin polymer with Stainless Steel legs Color : Blue/Red/Black/White (As preferred by PREJHA Team) Make: Durian/Nilkamal/Supreme/Cello	1200					

(*- Freight – Ex Ranchi)