

PREJHA Foundation Reference: 1455

-PREJHA04/26/295

REQUEST FOR QUOTATION

FOR

Partner Empanelment & Supply of Manufacturing Tools

Dated: 16th April 2026

PanIIT Alumni Reach For Jharkhand Foundation

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of
Welfare, Government of Jharkhand and
PanIIT Alumni Reach For India
Foundation, Kalyan Complex, Balihar
Road, Morabadi,
Ranchi – 834008, Jharkhand**

Contents

Contents

DISCLAIMER	2
SECTION 1: LETTER OF INVITATION	3
<i>PREFACE</i>	<i>5</i>
<i>Purpose of RFQ.....</i>	<i>5</i>
Section 2: Instructions to Bidders.....	6
<i>General terms & Conditions</i>	<i>7</i>
STANDARD FORMS.....	18
<i>Form Tech 1: Letter.....</i>	<i>19</i>
<i>Form Tech 2: Bidder’s Organization and Experience</i>	<i>21</i>
<i>Form Tech 3: Techno commercial Offer.....</i>	<i>22</i>
<i>Form Fin1: Financial Bid Proforma.....</i>	<i>23</i>

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of its knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Manufacturing Tools for PREJHA Foundation's Kaushal Colleges and Kalyan Gurukul in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation

Section 2 - Instructions to Bidders (including pre-qualification criteria)

Section 3 - Standard Forms

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action>

The information may be viewed online at the following website.

<https://www.jharkhand.gov.in/paniit>

Yours faithfully,

Authorized signatory

**PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi, Ranchi –
834008, Jharkhand**

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure Manufacturing Tools required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	16.04.2026
2.	Start date for seeking Clarification	16.04.2026
3.	Last date for seeking clarification on line from service provider (mjunction Services Limited)	20.04.2026 (08:00PM)
4.	Bid submission start date (only on-line bid accepted)	16.04.2026
5.	Bid submission end date	29.04.2026 (08:00PM)
6.	Schedule date for Technical bid opening	29.04.2026
7	Comparative statement preparation by the system	29.04.2026

General terms & Conditions:

1. Detailed BOQ

S No	Description	UOM
1	12 pcs combination spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt/Force	Each
2	2 in 1 reversible Screw Driver - Star and Flat; Size - 12 X 140mm; Make - Dewalt/Stanley/Force	Each
3	2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 140mm; Make - Dewalt/Stanley/Force	Each
4	2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 250mm; Make - Dewalt/Stanley/Force	Each
5	2 in 1 reversible Screw Driver - Star and Flat; Size - 8 X 140mm; Make - Dewalt/Stanley/Force	Each
6	Adjustable wrench 10 inch, Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt	Each
7	Adjustable wrench 6 inch - Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt	Each
8	Angle grinder, M10, 800W, 100 mm Disc Dia, with Auxiliary Handle, Make - Bosch/Makita/Dewalt	Each
9	Angle plate 200mm	Each
10	ANTI VIBRATION PAD FOR M12 HOLE	Each
11	Ball mill cutter set- Ø4, Ø6, Ø8, Ø10, Ø12	Each

12	CNC Milling machine vice, Hydraulic system 150 mm opening	Each
13	Copper Cutter; Cutting Range 6mm to 30mm; Make - Rothenberger/Ridgid/Tekton/SDT	Each
14	Cutter face mill , Ø 63 (SD12-63-22-5T)	Each
15	Cutter face mill , Ø 50 (SD12-63-22-5T)	Each
16	Standard Die set (For manual threading)	Each
17	Digital Multimeter; Make - Fluke/Mestech/Meco	Each
18	Dot Punch, Hexagonal, 60 degree, length 100 mm	Each
19	Drill Bit, Ø 5.1 mm	Each
20	Drill Bit, Ø 10 mm	Each
21	Drill Bit, Ø 10.25 mm	Each
22	Drill Bit, Ø 6.8 mm	Each
23	Drill Bit, Ø 7.8 mm	Each
24	Drill Bit, Ø9.8 mm	Each
25	Drill Bit, Ø 10.5 mm	Each
26	Drill Machine - Chuck Capacity - 10mm; No Load Speed - 0-2800rpm; Voltage - 230V; Drilling Capacity in wood - 25mm; Make - Bosch/Makita/Dewalt	Each
27	Electric planner machine; Make - Bosch/Dewalt/Makita/Force	Each
28	Electric tester	Each
29	Electronic screwdriver set with bits; No load Speed not less than 2000RPM; Make -Bosch/Makita/Dewalt	Each
30	End mill cutter set - Ø4, Ø6, Ø8, Ø10, Ø12, Ø14, Ø16	Each
31	Cross Pein Hammer	Each
32	Claw Hammer	Each
33	Sledge Hammer (2.5 Kg), wooden handle	Each
34	Hammer drill bit set 7 pcs set, ranging from 6 to 14 mm, Material - Tungsten Carbide, Make - Bosch/Makita/Dewalt	Each
35	Hammer Drill; Power -500W; Speed - Min 1000RPM; Blows per minute - Min 4000; Drilling Capacity in metal - 13mm; Drilling Capacity in Concrete - 22mm; Drilling Capacity in Masonary - 50mm; Make - Bosch/Makita/Dewalt	Each
36	Hand Held Jigsaw Machine (500 W motor, 0-3200 rpm, Cutting Capacity(in wood)- 75mm, Cutting Capacity(in steel) - 2-3mm, 1 inch stroke length). Make - Dewalt/Bosch/Makita	Each
37	Hand Reamer, Ø 8 mm	Each
38	Hand Reamer, Ø 10 mm	Each

39	Hand Reamer, Ø 12 mm	Each
40	Height Guage, Range - 0-200 mm, L.C. - 0.02 mm	Each
41	Horizontal Milling Machine Vice, Width: 150 mm Opening Size: 200 mm	Each
42	Knife edge file, 10" Single cut	Each
43	Machine Reamer, Ø 8 mm	Each
44	Machine Reamer, Ø 10 mm	Each
45	Machine Reamer, Ø 12 mm	Each
46	Machine Reamer Taper shank, Ø 8 mm	Each
47	Machine Reamer Taper shank, Ø 10 mm	Each
48	Marking Knife /Machinist's Scribber, Min Size - 190mm	Each
49	Micrometer, Range - 0-25 mm, L.C. - 0.01 mm	Each
50	Micrometer, Range - 0-50 mm, L.C. - 0.01 mm	Each
51	NEEDLE FILE , STD SET	Each
52	Plain Mill Cutter (for Horizontal milling machine) Bore Ø25 mm, Cutter Length 50 mm (Min.) to 100 mm (Max.)	Each
53	Right Angle / Try Square, 6" , Made of stainless steel	Each
54	Right Angle / Try Square , 12", Made of stainless steel	Each
55	Screw Driver - Flat; Size - 10 X 300mm; Make - Dewalt/Stanley/Force	Each
56	Screw Driver set, Make-Stanley /Flared /Phillips /or Equivalent	Each
57	Sledge Hammer with Wooden Handle 3kg; Min Handle Length - 30 inch; Dewalt/Stanley/Estwing or Equivalent	Each
58	Smooth File, 10" Single cut	Each
59	Soldering Equipment / Iron + Wire + Flux + Nozzle [Full Set]; Make - Soldron/Taisen/Stanley	Each
60	Spirit Level, (12 inch) (With Magnet); Make - Dewalt/Stabila/Stanley	Each
61	Spirit level , 250mm 0.05 least count; ; Make - Dewalt/Stabila/Stanley/	Each
62	Steel Measuring Tape 5m length, min 19mm width with lock feature; Make - Stanley/Dewalt/Freemans	Each
63	Steel Measuring Tape 7.5m length, min 19mm width with lock feature'; Make - Stanley/Dewalt/Freemans	Each
64	Steel Measuring Tape 15m length, min 19mm width with lock feature; Make - Stanley/Dewalt/Freemans	Each
65	Steel Measuring Tape 30m length, min 19mm width with lock feature; Make - Stanley/Dewalt/Freemans	Each
66	Steel Rule, 30 cm (Graduated in Both English & Metric Unit)	Each
67	Surface plate (Granite), size-3ftx3ft with levelling screw and stand, thickness-100mm	Each

68	Ten Piece Allen hex-key set Sizes -1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 5.5mm, 6mm, 8mm & 10mm; Made from High Alloy steel; Make - Dewalt/Force/Stanley	Each
69	V block, 100 mm with U clamps	Each
70	Vernier Caliper, Range - 0-300 mm, L.C. - 0.02 mm, Digital type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	Each
71	Vernier Caliper, Range - 0-300 mm, L.C. - 0.02 mm, Manual type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	Each
72	Vernier Caliper, Range - 0-200 mm, L.C. - 0.02 mm, Digital type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	Each
73	Vernier Caliper, Range - 0-200 mm, L.C. - 0.02 mm, Manual type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	Each
74	150B stainless steel wire cutter for stripping wires	Each
75	Chipping Hammers 500Gm	Each
76	DC POWER SUPPLY 220V-240V AC INPUT 0-30V OUTPUT DC	Each
77	DEAD CENTRE Dia 16 mm length 70 mm	Each
78	Chuck Key 9 x 9 mm	Each
79	3 Jaw Chuck Bore : 40mm Outer Dia : 160 mm	Each
80	Serplex 32Pcs 3D Print Tool Kit 3D Print Tool Accessories Kit Includes Debur Tool, Cleaning, Finishing and Printing Tool, 3D Printer Accessories for 3D Print Removing, Cleaning, Finishing	Each
81	Industrial First Aid Kit (Wall Mountable). That contains 1. Nitrile exam gloves 2. CPR barrier shield with one-way valve 3. First aid guide book with CPR guidelines 4. Hydrogen peroxide spray 5. Antiseptic first aid spray 6. Sting-free antiseptic BZK wound wipes 7. Alcohol wipes/prep pads 8. Triple antibiotic ointment	Each
82	Single point cutting tool, HSS 12X12	Each
83	Single point cutting tool, Carbide brazed tipped holder 5.8 x 1.6 x 1.6 cm (Turning/Grooving/Threading)	Each

*- Freight – Ex Ranchi

2. Definitions

- **"Buyer"** means PREJHA Foundation
- **"Bidder"** means suppliers or contractors who have participated in tender
- **"The Vendor"** means the supplier or contractor or service provider to whom the Order is addressed.
- **"The Purchase Order"** means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- **The Goods / Services"** means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

<https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action>

- a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,

Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

- c) They may obtain further information regarding this tender from the office of PREJHA, Kalyan Gurukul, Kumarbagh Road, Arsande, Kanke, Ranchi – 834006 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Shekhar Kumar, Procurement, PREJHA
Contact No.: 9835932882
Email-ID:shekhar.k@parfi.org

- d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal **operated/ maintained** by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of min** 180 days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA- mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

Sl. No	PQR Condition	Bidder Remarks
1	Have previously supplied similar materials to any institutional buyers preferably private or public sector companies or training enterprises within past 2 years. Previous PO copies will be required Or Authorized dealer for any of the hand tool or manufacturer from Dewalt/Stanley/Force/Mitutoyo/Makita/Bosch	

Bidder should submit the prequalification documents at the portal.

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA) for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email. The selected bidder shall submit security deposit of 5% of the estimated order value in the form of either a bank guarantee from a scheduled bank or a PDC or a DD drawn on any scheduled bank in favor of "PanIIT Alumni Reach for Jharkhand Foundation" payable at par in Ranchi.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite

Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.

6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
 - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;

11. purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer.

12. Indicative Delivery Schedule

- Goods to be delivered at our Gurukul as per following as needed:

Sl. No	Delivery Location	Delivery Schedule
1	Kaushal College, Nagratoli	Within 15 days of signing the contract
2	Kaushal College, Jamtara	
3	Kaushal College, Udhwa, Sahibganj	
4	Kaushal College, Ranchi	
5	Kaushal College, Simdega	
6	Kalyan Gurukul, Sahibganj	
7	Kalyan Gurukul, Bedo	
8	Kalyan Gurukul, Ramgarh	
9	Kalyan Gurukul, Giridih	
10	Kalyan Gurukul, Godda	
11	Kalyan Gurukul, Khunti	
12	Kalyan Gurukul, Kanke1	
13	Kalyan Gurukul, Chatra	
14	Any other institutions run by Prejha foundation across Jharkhand	

13. Payment Terms

- a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.
- b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

14. Unloading

- a. Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.
- b. The risk of all materials till receipt at location will be in vendor's scope.

15. Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

16. Warranty/ Guarantee

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.
- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

17. Inspection

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with

“Quality Assurance Plan”, if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor’s premises and/or at the place of delivery indicated by the Buyer.

- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.

All rejected material from the Buyer’s site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor’s account.

- c) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

18. Damage or loss in transit

- a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.
- b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

19. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

20. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrined in the undertaking in bidding document and contract

21. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract.

22. Jurisdiction.

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

TECH FORMS	FORM NAME	Mention list of all supporting documents attached (if any)
TECH-1	Letter of proposal submission	Pls scan & attach
Pancard	Pan card	Pls scan & attach
GST Return	Latest GST Return document(GSTR-3B)	Pls scan & attach
PQ	Pre-Qualification Document	Pls scan & attach

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director

PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi, Ranchi –
834008, Jharkhand

We, the undersigned, offer to supply Manufacturing Tools for PREJHA Foundation, in accordance with your Request for Quotation dated 16-04-2026. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract.

Yours faithfully,

*Authorized Signatory [*In full and Designation*]: Name and Title of Signatory:

Name of

Bidder:

Address:

Form Fin1: Financial Bid Proforma

TENDER PROFORMA for Commercial		
PREJHA Reference No		
Name of Bidder		

S No	Item Description	Quantity	Unit Rate	Estimated value	Tax%	Tax value	Freight
1	12 pcs combination spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt/Force	20					
2	2 in 1 reversible Screw Driver - Star and Flat; Size - 12 X 140mm; Make - Dewalt/Stanley/Force	20					
3	2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 140mm; Make - Dewalt/Stanley/Force	20					
4	2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 250mm; Make - Dewalt/Stanley/Force	20					
5	2 in 1 reversible Screw Driver - Star and Flat; Size - 8 X 140mm; Make - Dewalt/Stanley/Force	20					
6	Adjustable wrench 10 inch, Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt	20					
7	Adjustable wrench 6 inch - Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt	20					
8	Angle grinder, M10, 800W, 100 mm Disc Dia, with Auxiliary Handle, Make - Bosch/Makita/Dewalt	10					
9	Angle plate 200mm	20					
10	ANTI VIBRATION PAD FOR M12 HOLE	30					
11	Ball mill cutter set- Ø4, Ø6, Ø8, Ø10, Ø12	10					
12	CNC Milling machine vice, Hydraulic system 150 mm opening	5					
13	Copper Cutter; Cutting Range 6mm to 30mm; Make - Rothenberger/Ridgid/Tekton/SDT	20					
14	Cutter face mill, Ø 63 (SD12-63-22-5T)	10					

15	Cutter face mill , Ø 50 (SD12-63-22-5T)	10					
16	Standard Die set (For manual threading)	20					
17	Digital Multimeter; Make - Fluke/Mestech/Meco	20					
18	Dot Punch, Hexagonal, 60 degree, length 100 mm	50					
19	Drill Bit, Ø 5.1 mm	50					
20	Drill Bit, Ø 10 mm	50					
21	Drill Bit, Ø 10.25 mm	50					
22	Drill Bit, Ø 6.8 mm	50					
23	Drill Bit, Ø 7.8 mm	50					
24	Drill Bit, Ø9.8 mm	50					
25	Drill Bit, Ø 10.5 mm	50					
26	Drill Machine - Chuck Capacity - 10mm; No Load Speed - 0- 2800rpm; Voltage - 230V; Drilling Capacity in wood - 25mm; Make - Bosch/Makita/Dewalt	10					
27	Electric planner machine; Make - Bosch/Dewalt/Makita/Force	10					
28	Electric tester	50					
29	Electronic screwdriver set with bits; No load Speed not less than 2000RPM; Make - Bosch/Makita/Dewalt	20					
30	End mill cutter set - Ø4, Ø6, Ø8, Ø10, Ø12, Ø14, Ø16	10					
31	Cross Pein Hammer	50					
32	Claw Hammer	50					
33	Sledge Hammer (2.5 Kg), wooden handle	40					
34	Hammer drill bit set 7 pcs set, ranging from 6 to 14 mm, Material - Tungsten Carbide, Make - Bosch/Makita/Dewalt	20					
35	Hammer Drill; Power -500W; Speed - Min 1000RPM; Blows per minute - Min 4000; Drilling Capacity in metal - 13mm; Drilling Capacity in Concrete - 22mm; Drilling Capacity in Masonary - 50mm; Make - Bosch/Makita/Dewalt	10					
36	Hand Held Jigsaw Machine (500 W motor, 0-3200 rpm, Cutting Capacity(in wood)- 75mm, Cutting	10					

	Capacity(in steel) - 2-3mm, 1 inch stroke length). Make - Dewalt/Bosch/Makita						
37	Hand Reamer, Ø 8 mm	20					
38	Hand Reamer, Ø 10 mm	20					
39	Hand Reamer, Ø 12 mm	20					
40	Height Guage, Range - 0-200 mm, L.C. - 0.02 mm	10					
41	Horizontal Milling Machine Vice, Width: 150 mm Opening Size: 200 mm	10					
42	Knife edge file, 10" Single cut	20					
43	Machine Reamer, Ø 8 mm	20					
44	Machine Reamer, Ø 10 mm	20					
45	Machine Reamer, Ø 12 mm	20					
46	Machine Reamer Taper shank, Ø 8 mm	20					
47	Machine Reamer Taper shank, Ø 10 mm	20					
48	Marking Knife /Machinist's Scribber, Min Size - 190mm	20					
49	Micrometer, Range - 0-25 mm, L.C. - 0.01 mm	10					
50	Micrometer, Range - 0-50 mm, L.C. - 0.01 mm	10					
51	NEEDLE FILE , STD SET	20					
52	Plain Mill Cutter (for Horizontal milling machine) Bore Ø25 mm, Cutter Length 50 mm (Min.) to 100 mm (Max.)	10					
53	Right Angle / Try Square, 6" , Made of stainless steel	20					
54	Right Angle / Try Square , 12", Made of stainless steel	20					
55	Screw Driver - Flat; Size - 10 X 300mm; Make - Dewalt/Stanley/Force	20					
56	Screw Driver set, Make-Stanley /Flared /Phillips /or Equivalent	20					
57	Sledge Hammer with Wooden Handle 3kg; Min Handle Length - 30 inch; Dewalt/Stanley/Estwing or Equivalent	10					
58	Smooth File, 10" Single cut	20					
59	Soldering Equipment / Iron + Wire + Flux + Nozzle [Full Set]; Make - Soldron/Taisen/Stanley	20					
60	Spirit Level, (12 inch) (With Magnet); Make - Dewalt/Stabila/Stanley	20					
61	Spirit level , 250mm 0.05 least count; ; Make - Dewalt/Stabila/Stanley/	20					

62	Steel Measuring Tape 5m length, min 19mm width with lock feature; Make - Stanley/Dewalt/Freemans	30					
63	Steel Measuring Tape 7.5m length, min 19mm width with lock feature'; Make - Stanley/Dewalt/Freemans	30					
64	Steel Measuring Tape 15m length, min 19mm width with lock feature; Make - Stanley/Dewalt/Freemans	20					
65	Steel Measuring Tape 30m length, min 19mm width with lock feature; Make - Stanley/Dewalt/Freemans	10					
66	Steel Rule, 30 cm (Graduated in Both English & Metric Unit)	20					
67	Surface plate (Granite), size-3ftx3ft with levelling screw and stand, thickness-100mm	10					
68	Ten Piece Allen hex-key set Sizes -1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 5.5mm, 6mm, 8mm & 10mm; Made from High Alloy steel; Make - Dewalt/Force/Stanley	20					
69	V block, 100 mm with U clamps	10					
70	Vernier Caliper, Range - 0-300 mm, L.C. - 0.02 mm, Digital type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	10					
71	Vernier Caliper, Range - 0-300 mm, L.C. - 0.02 mm, Manual type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	10					
72	Vernier Caliper, Range - 0-200 mm, L.C. - 0.02 mm, Digital type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	10					
73	Vernier Caliper, Range - 0-200 mm, L.C. - 0.02 mm, Manual type, Make - Mitutoyo/Fowler/Insize/Baker/Sylvac	10					
74	150B stainless steel wire cutter for stripping wires	30					
75	Chipping Hammers 500Gm	30					
76	DC POWER SUPPLY 220V-240V AC INPUT 0-30V OUTPUT DC	10					
77	DEAD CENTRE Dia 16 mm length 70 mm	30					
78	Chuck Key 9 x 9 mm	30					
79	3 Jaw Chuck Bore : 40mm Outer Dia : 160 mm	10					
80	Serplex 32Pcs 3D Print Tool Kit 3D Print Tool Accessories Kit Includes Debur Tool,	10					

	Cleaning, Finishing and Printing Tool, 3D Printer Accessories for 3D Print Removing, Cleaning, Finishing						
81	Industrial First Aid Kit (Wall Mountable). That contains 1. Nitrile exam gloves 2. CPR barrier shield with one-way valve 3. First aid guide book with CPR guidelines 4. Hydrogen peroxide spray 5. Antiseptic first aid spray 6. Sting-free antiseptic BZK wound wipes 7. Alcohol wipes/prep pads 8. Triple antibiotic ointment	10					
82	Single point cutting tool, HSS 12X12	20					
83	Single point cutting tool, Carbide brazed tipped holder 5.8 x 1.6 x 1.6 cm (Turning/Grooving/Threading)	20					

(* - Freight – Ex Ranchi)