PREJHA Foundation Reference: 1456

-PREJHA04/26/297

REQUEST FOR QUOTATION

FOR

Partner Empanelment & Supply of Manufacturing consumables

Dated: 16th April 2026

PanIIT Alumni Reach For Jharkhand Foundation

A Non-profit Special Purpose Joint Enterprise between agencies of Department of Welfare,Government of Jharkhand and
PanIIT Alumni Reach For India
Foundation,Kalyan Complex, Balihar
Road, Morabadi,
Ranchi – 834008, Jharkhand

Contents

Contents

DISCLAIMER **2**

SECTION 1: LETTER OF INVITATION **3**

PREFACE *5*

Purpose of RFQ *5*

Section 2: Instructions to Bidders **6**

General terms & Conditions *7*

STANDARD FORMS **18**

Form Tech 1: Letter *19*

Form Tech 2: Bidder's Organization and Experience *21*

Form Tech 3: Techno commercial Offer *22*

Form Fin1: Financial Bid Proforma *23*

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms andconditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way fromthis process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of it's knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Manufacturing consumables for PREJHA Foundation's Kaushal Colleges and Kalyan Gurukul in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms& selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation
Section 2 - Instructions to Bidders (including pre-qualification criteria)
Section3 - Standard Forms

The information may be submitted online only at the following website.

https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action

The information may be viewed online at the following website.

https://www.jharkhand.gov.in/paniit

Yours faithfully,

Authorized signatory
PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi, Ranchi –
834008, Jharkhand

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for- profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure Manufacturing consumables required for PREJHA Foundation's Gurukuls & KaushalColleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	16.04.2026
2.	Start date for seeking Clarification	16.04.2026
3.	Last date for seeking clarification on line from service provider (mjunction Services Limited)	20.04.2026 (08:00PM)
4.	Bid submission start date (only on-line bid accepted)	16.04.2026
5.	Bid submission end date	29.04.2026 (08:00PM)
6.	Schedule date for Technical bid opening	29.04.2026
7	Comparative statement preparation by the system	29.04.2026

General terms & Conditions:

1. Detailed BOQ

S No	Description	UOM
1	3D Printer filament 1.75 mm thick PLA filament(1 spool)	each
2	ACRYLIC PVC SOLID PIPES, Ø26	meter
3	ACRYLIC PVC SOLID PIPES, Ø40	meter
4	Aluminium plate, size- 100 X 20 mm	Kg
5	Aluminium plate, size- 60 X 60 mm	Kg
6	Aluminium rod, Ø26	meter
7	Aluminium rod, Ø40	meter
8	BO Motor, 60 rpm, (Single shaft) straight	each
9	Sharp Buzzer, Works on 3 to 27 Volts DC (BIG)	each
10	Capacitor, 1000uF	each
11	Capacitor, 0.1uF	each

12	Carbide Insert TCMX 160404EN, TCMX 160408EN, TCMX 160412EN	each
13	Carbon Brush, AG 4	each
14	Chop saw cutting wheel, Thickness-3mm, wheel bore-25.4 ,wheel dia-355mm	each
15	Cutting wheel, Wheel Bore-16mm , wheel dia-105 ,wheel thickness-1.2mm	each
16	Dust Mask / Welding Respirator	each
17	Disposable Foam Ear plugs, One size fit for all ears, Made of non irritant and allergy free material Available with nylon or cotton cord.	each
18	Earthing Holder, 200 Amp	each
19	Electrode Holder, capacity- 200 Amp	each
20	Emery sheet, Grit 180 - 500	each
21	Emery sheet, Grit 600 - 800	each
22	GEAR OIL, SERVO PREMIUM CF-4 15W-40	litre
23	Grinding wheel ,Wheel Bore-16mm wheel dia-105, wheel thickness-1.2mm	each
24	Grinding wheel dresser (diamond 1 carat)	each
25	Grinding wheel 4'', Make- Bosch/Taparia or equivalent	each
26	Grinding wheel 5'', Make- Bosch/Taparia or equivalent	each
27	Grinding wheel 7", Make- Bosch/Taparia or equivalent	each
28	Circular Saw blade(Cutting wheel) for Steel cutting (4") , Make-JK/ Bosch/Taparia	each
29	Circular Saw blade(Cutting wheel) for Steel cutting (5") , Make-JK/ Bosch/Taparia	each
30	Circular Saw blade(Cutting wheel) for Steel cutting (7") , Make-JK/ Bosch/Taparia	each
31	Tungsten Rod Length 150 mm , thickness 2.4mm	each
32	Hacksaw Blade, size- 300 × 12.5 × 0.6 mm 14TPI (BIMETAL)	each
33	Hacksaw Blade, size- 300 × 25 × 0.6 mm 14TPI (BIMETAL)	each
34	Hand Gloves Pair (Rubber coated cotton gloves) / ESD Gloves (Electric static devices)	each
35	HSS Tool Bit, 14 mm	each
36	I.R Transmitter BC547	each
37	IC 555	each
38	IC 7805	each
39	Leather Welding Apron, apron with strap and buckle	each

40	Masking tape (24mm *20m)	each
41	CO2 GAS CYLINDER FOR MIG WELDING, Capacity- 30 KG	each
42	MS Flat, 50 X 5 mm	Kg
43	MS Flat, 50 X 10 mm	Kg
44	MS Rod, Ø28	Kg
45	MS Rod, Ø40	Kg
46	MS Square (Solid), 12x12 mm	Kg
47	Oil Stone (Rough/Smooth)	each
48	Paint Brush, 0 SIZE	each
49	Plastic Sample Collector, 100 ml	each
50	Plastic Zip Lock Pouch, 6 inch × 4 inch	each
51	Power saw Blade, 14" × 1¼" × 16" (BIMETAL)	each
52	Resistor, 47 KΩ	each
53	Resistor, 4.7 KΩ	each
54	Resistor, 500Ω	each
55	Resistor, 220 Ω	each
56	Safety Goggles (Transparent), Safety glasses with side shields, Material-Polycarbonate Hard-coated lens for scratch resistance, Make- 3M / KARAM / Dupont / Udyogi or equivalent	each
57	Safety Helmet, Rachet type with plastic cradle Make - Karam/Dupont/3M/Udyogi or equivalent	each
58	Sanding wheel (emery), Wheel Bore-16mm wheel dia-125 wheel thickness-1.2mm	each
59	IR Sensor , photodiode reciver	each
60	Single Strand Wire, Red	meter
61	Single Strand Wire, Black	meter
62	Soldering wire, Lead (Oswal) 60 : 40 (50 gm)	each
63	SURFACE GRINDING WHEEL , Outer Dia: Ø200, Bore Dia: 30 mm	each
64	Switch	each
65	Tap, M 6	each
66	Tap,M 8	each
67	Tap, M 12	each
68	Transformer, 6-0-6/500mA	each

69	Transistor, C1383	each
70	Triangle file, 150 mm (Medium)	each
71	Tungsten Electrodes Thoriated Tungsten, WT20 2.0 mm X 150 mm	each
72	U-Channel, 100x10 mm	Kg
73	V-Belt, B780 / B29	each
74	V-Belt, B 26 / B703	each
75	Vero Board, 140 mm × 90 mm	each
76	Vertical Milling cutter insert, SDMT 120412PDRMH	each
77	Voltage Regulator, 7805	each
78	ANTI RUST SPRAY, WD 40, capacity- 400ml or more	each
79	Welding Electrode, 350 mm X 1.6 mm	each
80	Welding Helmet, Full face covering with minimum protective shade no. 8 or 10	each
81	Welding Helmet Equipped with a flip up front window that the user can choose to open when not performing an operation.Has removable lens which is tested against EN 175 and EN 169.The head band of Welding Helmet has 4 adjustment positions and is provided with an anti-sweat comfort pad for increased comfort. Consists of ratchetadjustment for easy harness adjustment. Material-High impact resistant polycarbonate for increased protection; Material of Shell: polypropylene impact resistant shell that can be adjusted and tested for electrical insulation. Size of Window 100mm x 75mm Operating Range-50 0C to+800C and tested for electrical insulation. Certified to EN 175:1997	each
82	STD WIRE BRUSH	each
83	STD WOODEN HANDLE FOR FILE	each
84	Diode , 1N 4007	each
85	Rechargable battery, 4V 1A	each
86	Capacitor, 14F	each

87	LDR , Light Sensor	each
88	IC , 555 8 Pin	each
89	Ms sheet 2 mm thickness 8'x4'	kg
90	M S. Sheet 1mm thickness 8'x4'	kg
91	M S Patti 5 mm thickness	kg
92	M S Patti 10 mm thickness	kg
93	Mig wire 0.8mm (MS)	kg
94	Mig wire 1.2mm (MS)	kg
95	Mig wire 0.8mm (SS)	kg
96	Mig wire 1.2mm (SS)	kg
97	Electrode (7018 no) x 2.5mm/3.15mm	each
98	Electrode (6013 no)x 2.5mm/3.15mm	each
99	welding black glass 4.25"x3.25" (8 no./10 no./ 11 no.)	each
100	Welding Rod (SS TIG Filler ER 308)	kg
101	SS sheet 1 mm thickness 8'x4' (302 Grade)	kg
102	SS sheet 2 mm thickness 8'x4' (302 Grade)	kg
103	SS Pipe 1mm thick 45mm dia (302 Grade)	kg
104	SS Pipe 1mm thick 45mm dia (304 Grade)	kg
105	SS Pipe 2mm thick 45mm dia (304 Grade)	kg
106	Steel cutting blade [Circular Saw (5")] (JK/ Bosch/Taparia) Cutting wheel	each
107	Air cooled Tig torch with Wire	each
108	Tig nozzle	each
109	Hand gloves pair (welding) Heavy Duty, Material- Leather	each
110	Hand Gloves Pair- Electrical Safety 11kV Shock Proof , Material - Rubber, Brand KAVACH, JYOT, HONEYWELL or equivalent	each
111	Al sheet 1 mm thickness 8'x4', grade 5083/6061	kg
112	Al sheet 2 mm thickness 8'x4', grade 5083/6061	kg

113	36 Kd Mig torch	each
114	Bread board 400 pins	each
115	Male - Male connector	each
116	Male - Female connector	each
117	Bolt M6 X 10	each
118	LED - 5mm (RED/BLUE/WHITE/GREEN)	each
119	3D Printer Glue Stick for Hot Bed Print Filament PLA ABS PET PETG Washable Anti-Tilt Non-Toxic	each
120	MS Flat, 75 X10 mm	Kg
121	Paint Brush, 25-50 MM SIZE	each
122	Resistor, 330 Ω	each
123	Welding Leg guard , Material- leather	each
124	Leather Apron (welding), Heavy Duty, Heat & Flame-Resistant, Material- Leather, size as per requirement	each
125	Solid Pvc rod (Dia 60 mm), High Flame Resistance & High Rigidity	Meter
126	Solid Pvc rod (Dia 50 mm), High Flame Resistance & High Rigidity	Meter
127	Solid Pvc rod (Dia 40 mm), High Flame Resistance & High Rigidity	Meter
128	Surface gauge, 9", Material- SS	each
129	Dial test indicator, graduation: 0.01mm, range: 10mm, dial face: 0-100 Make- Mitutoyo, Baker or equivalent	each
130	Magnetic Dial stand	each
131	Hackshaw frame, Size-12"	each
132	Hackshaw Blade 1''	each
133	Grinding Machine carbon brush set , Make-hitachi/bosh or equivalent	each
134	Mig welding contact Tip (0.8mm/1.2mm/1.6mm)	each
135	MIG Tip holder (tip size-0.8mm/1.2mm/1.6mm)	each
136	Mig welding liner	each
137	DPT test set, 500ml each	each

*- Freight – Ex Ranchi

2. *Definitions*

- "**Buyer**" means PREJHA Foundation
- "**Bidder**" means suppliers or contractors who have participated in tender
- "**The Vendor**" means the supplier or contractor or service provider to whom the Order is addressed.
- "**The Purchase Order"** means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- **The Goods / Services**" means the goods or services to be supplied under the Order.

3. *Amendment of RFQ*

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. *Bidding*
(to be solely done through portal)
https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action

a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified

b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,
Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

c) They may obtain further information regarding this tender from the office of PREJHA, Kalyan Gurukul, Kumarbagh Road, Arsande, Kanke, Ranchi – 834006 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Shekhar Kumar, Procurement, PREJHA
Contact No.: 9835932882
Email-ID:shekhar.k@parfi.org

d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal operated/ maintained by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. *Validity of Proposal*

Bidders' proposals must remain **valid for a period of min** 180 days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. *Submission of proposal*

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.
The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. *Latest updates*

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA- mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action for document submission.

8. *Technical Bid (incl. Pre-Qualification Criteria)*

Sl. No	PQR Condition	Bidder Remarks
1	Have previously supplied similar materials to any institutional buyers preferably private or public sector companies or training enterprises within past 2 years. Previous PO copies will be required	

Bidder should submit the prequalification documents at the portal.

9. *Financial Proposal*

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

10. *Empanelment followed by Letter of Award*

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA)for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email. The selected bidder shall submit security deposit of 5% of the estimated order value in the form of either a bank guarantee from a scheduled bank or a PDC or a DD drawn on any scheduled bank in favor of "PanIIT Alumni Reach for Jharkhand Foundation" payable at par in Ranchi.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.

6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
   - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;

11. purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer.

12. Indicative Delivery Schedule

- Goods to be delivered at our Gurukul as per following as needed:

Sl. No	Delivery Location	Delivery Schedule
1	Kaushal College, Nagratoli	Within 15 days of signing the contract
2	Kaushal College, Jamtara	
3	Kaushal College, Udhwa, Sahibganj	
4	Kaushal College, Ranchi	
5	Kaushal College, Simdega	
6	Kalyan Gurukul, Sahibganj	
7	Kalyan Gurukul, Bedo	
8	Kalyan Gurukul, Ramgarh	
9	Kalyan Gurukul, Giridih	
10	Kalyan Gurukul, Godda	
11	Kalyan Gurukul, Khunti	
12	Kalyan Gurukul, Kanke1	
13	Kalyan Gurukul, Chatra	

13. Payment Terms

a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.

b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

14. Unloading

a. Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.

b. The risk of all materials till receipt at location will be in vendor's scope.

15. Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

16. Warranty/ Guarantee

a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.

b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.

c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

17. Inspection

a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of delivery indicated by the Buyer.

b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by theBuyer.

All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In caseof any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rightsto remove the rejected materials/goods from their premises and discard it. Any cost on this account wouldbe debited to vendor's account.

c) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

18. Damage or loss in transit

a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.

b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

19. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.

b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

20. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrine in the undertaking in bidding document and contract

21. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract.

22. Jurisdiction.

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

TECH FORMS	FORM NAME	Mention list of all supporting documents attached (if any)
TECH-1	Letter of proposal submission	Pls scan & attach
Pancard	Pan card	Pls scan & attach
GST Return	Latest GST Return document(GSTR-3B)	Pls scan & attach
PQ	Pre-Qualification Document	Pls scan & attach

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director

PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi, Ranchi – 834008, Jharkhand

We, the undersigned, offer to supply Manufacturing consumables for PREJHA Foundation, in accordance with your Request for Quotation dated 16-04-2026. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract.

Yours faithfully,

*Authorized Signatory [*In full and Designation*]: Name and Title of Signatory:
Name of
Bidder:
Address:

Form Fin1: Financial Bid Proforma

TENDER PROFORMA for Commercial		
PREJHA Reference No		
Name of Bidder		

S No	Item Description	Quantity	Unit Rate	Estimated value	Tax%	Tax value	Freight
1	3D Printer filament 1.75 mm thick PLA filament(1 spool)	10					
2	ACRYLIC PVC SOLID PIPES, Ø26	200					
3	ACRYLIC PVC SOLID PIPES, Ø40	200					
4	Aluminium plate, size- 100 X 20 mm	200					
5	Aluminium plate, size- 60 X 60 mm	200					
6	Aluminium rod, Ø26	200					
7	Aluminium rod, Ø40	200					
8	BO Motor, 60 rpm, (Single shaft) straight	50					
9	Sharp Buzzer, Works on 3 to 27 Volts DC (BIG)	100					
10	Capacitor, 1000uF	50					
11	Capacitor, 0.1uF	50					
12	Carbide Insert TCMX 160404EN, TCMX 160408EN, TCMX 160412EN	100					
13	Carbon Brush, AG 4	100					
14	Chop saw cutting wheel, Thickness-3mm, wheel bore-25.4 ,wheel dia-355mm	50					
15	Cutting wheel, Wheel Bore-16mm , wheel dia-105 ,wheel thickness-1.2mm	50					
16	Dust Mask / Welding Respirator	50					
17	Disposable Foam Ear plugs, One size fit for all ears, Made of non irritant and allergy free material Available with nylon or cotton cord.	50					
18	Earthing Holder, 200 Amp	20					

19	Electrode Holder, capacity- 200 Amp	20					
20	Emery sheet, Grit 180 - 500	200					
21	Emery sheet, Grit 600 - 800	200					
22	GEAR OIL, SERVO PREMIUM CF-4 15W-40	100					
23	Grinding wheel ,Wheel Bore-16mm wheel dia-105, wheel thickness-1.2mm	100					
24	Grinding wheel dresser (diamond 1 carat)	20					
25	Grinding wheel 4'', Make- Bosch/Taparia or equivalent	40					
26	Grinding wheel 5'', Make- Bosch/Taparia or equivalent	40					
27	Grinding wheel 7", Make- Bosch/Taparia or equivalent	40					
28	Circular Saw blade(Cutting wheel) for Steel cutting (4") , Make-JK/ Bosch/Taparia	50					
29	Circular Saw blade(Cutting wheel) for Steel cutting (5") , Make-JK/ Bosch/Taparia	50					
30	Circular Saw blade(Cutting wheel) for Steel cutting (7") , Make-JK/ Bosch/Taparia	50					
31	Tungsten Rod Length 150 mm , thickness 2.4mm	40					
32	Hacksaw Blade, size- 300 × 12.5 × 0.6 mm 14TPI (BIMETAL)	40					
33	Hacksaw Blade, size- 300 × 25 × 0.6 mm 14TPI (BIMETAL)	40					
34	Hand Gloves Pair (Rubber coated cotton gloves) / ESD Gloves (Electric static devices)	40					
35	HSS Tool Bit, 14 mm	30					
36	I.R Transmitter BC547	30					
37	IC 555	30					
38	IC 7805	30					
39	Leather Welding Apron, apron with strap and buckle	30					
40	Masking tape (24mm *20m)	30					
41	CO2 GAS CYLINDER FOR MIG WELDING, Capacity- 30 KG	10					
42	MS Flat, 50 X 5 mm	40					
43	MS Flat, 50 X 10 mm	40					
44	MS Rod, Ø28	200					
45	MS Rod, Ø40	10					

46	MS Square (Solid), 12x12 mm	10					
47	Oil Stone (Rough/Smooth)	45					
48	Paint Brush, 0 SIZE	20					
49	Plastic Sample Collector, 100 ml	50					
50	Plastic Zip Lock Pouch, 6 inch × 4 inch	50					
51	Power saw Blade, 14" × 1¼" × 16" (BIMETAL)	10					
52	Resistor, 47 KΩ	100					
53	Resistor, 4.7 KΩ	100					
54	Resistor, 500Ω	100					
55	Resistor, 220 Ω	100					
56	Safety Goggles (Transparent), Safety glasses with side shields, Material-Polycarbonate Hard-coated lens for scratch resistance, Make- 3M / KARAM / Dupont / Udyogi or equivalent	200					
57	Safety Helmet, Rachet type with plastic cradle Make - Karam/Dupont/3M/Udyogi or equivalent	200					
58	Sanding wheel (emery), Wheel Bore-16mm wheel dia-125 wheel thickness-1.2mm	100					
59	IR Sensor , photodiode reciver	100					
60	Single Strand Wire, Red	100					
61	Single Strand Wire, Black	100					
62	Soldering wire, Lead (Oswal) 60 : 40 (50 gm)	50					
63	SURFACE GRINDING WHEEL , Outer Dia: Ø200, Bore Dia: 30 mm	50					
64	Switch	50					
65	Tap, M 6	20					
66	Tap,M 8	20					
67	Tap, M 12	20					
68	Transformer, 6-0-6/500mA	10					
69	Transistor, C1383	50					
70	Triangle file, 150 mm (Medium)	30					

71	Tungsten Electrodes Thoriated Tungsten, WT20 2.0 mm X 150 mm	30					
72	U-Channel, 100x10 mm	100					
73	V-Belt, B780 / B29	100					
74	V-Belt, B 26 / B703	100					
75	Vero Board, 140 mm × 90 mm	50					
76	Vertical Milling cutter insert, SDMT 120412PDRMH	40					
77	Voltage Regulator, 7805	50					
78	ANTI RUST SPRAY, WD 40, capacity- 400ml or more	40					
79	Welding Electrode, 350 mm X 1.6 mm	40					
80	Welding Helmet, Full face covering with minimum protective shade no. 8 or 10	20					
81	Welding Helmet Equipped with a flip up front window that the user can choose to open when not performing an operation.Has removable lens which is tested against EN 175 and EN 169.The head band of Welding Helmet has 4 adjustment positions and is provided with an anti-sweat comfort pad for increased comfort. Consists of ratchetadjustment for easy harness adjustment. Material-High impact resistant polycarbonate for increased protection; Material of Shell: polypropylene impact resistant shell that can be adjusted and tested for electrical insulation. Size of Window 100mm x 75mm Operating Range-50 0C to+800C and tested for electrical insulation. Certified to EN 175:1997	10					
82	STD WIRE BRUSH	20					
83	STD WOODEN HANDLE FOR FILE	100					
84	Diode , 1N 4007	100					
85	Rechargable battery, 4V 1A	50					

86	Capacitor, 14F	50					
87	LDR , Light Sensor	50					
88	IC , 555 8 Pin	30					
89	Ms sheet 2 mm thickness 8'x4'	50					
90	M S. Sheet 1mm thickness 8'x4'	50					
91	M S Patti 5 mm thickness	100					
92	M S Patti 10 mm thickness	100					
93	Mig wire 0.8mm (MS)	100					
94	Mig wire 1.2mm (MS)	100					
95	Mig wire 0.8mm (SS)	50					
96	Mig wire 1.2mm (SS)	50					
97	Electrode (7018 no) x 2.5mm/3.15mm	50					
98	Electrode (6013 no)x 2.5mm/3.15mm	50					
99	welding black glass 4.25"x3.25" (8 no./10 no./ 11 no.)	100					
100	Welding Rod (SS TIG Filler ER 308)	50					
101	SS sheet 1 mm thickness 8'x4' (302 Grade)	30					
102	SS sheet 2 mm thickness 8'x4' (302 Grade)	50					
103	SS Pipe 1mm thick 45mm dia (302 Grade)	100					
104	SS Pipe 1mm thick 45mm dia (304 Grade)	100					
105	SS Pipe 2mm thick 45mm dia (304 Grade)	100					
106	Steel cutting blade [Circular Saw (5")] (JK/ Bosch/Taparia) Cutting wheel	40					
107	Air cooled Tig torch with Wire	40					
108	Tig nozzle	50					
109	Hand gloves pair (welding) Heavy Duty, Material- Leather	100					
110	Hand Gloves Pair- Electrical Safety 11kV Shock Proof , Material - Rubber, Brand KAVACH, JYOT, HONEYWELL or equivalent	10					

111	Al sheet 1 mm thickness 8'x4', grade 5083/6061	30					
112	Al sheet 2 mm thickness 8'x4', grade 5083/6061	30					
113	36 Kd Mig torch	20					
114	Bread board 400 pins	50					
115	Male - Male connector	100					
116	Male - Female connector	100					
117	Bolt M6 X 10	50					
118	LED - 5mm (RED/BLUE/WHITE/GREEN)	50					
119	3D Printer Glue Stick for Hot Bed Print Filament PLA ABS PET PETG Washable Anti-Tilt Non-Toxic	200					
120	MS Flat, 75 X10 mm	20					
121	Paint Brush, 25-50 MM SIZE	50					
122	Resistor, 330 Ω	20					
123	Welding Leg guard , Material- leather	10					
124	Leather Apron (welding), Heavy Duty, Heat & Flame-Resistant, Material- Leather, size as per requirement	10					
125	Solid Pvc rod (Dia 60 mm), High Flame Resistance & High Rigidity	50					
126	Solid Pvc rod (Dia 50 mm), High Flame Resistance & High Rigidity	50					
127	Solid Pvc rod (Dia 40 mm), High Flame Resistance & High Rigidity	50					
128	Surface gauge, 9", Material- SS	10					
129	Dial test indicator, graduation: 0.01mm, range: 10mm, dial face: 0-100 Make- Mitutoyo, Baker or equivalent	10					
130	Magnetic Dial stand	20					
131	Hackshaw frame, Size-12"	20					
132	Hackshaw Blade 1''	50					
133	Grinding Machine carbon brush set , Make- hitachi/bosh or equivalent	10					
134	Mig welding contact Tip (0.8mm/1.2mm/1.6mm)	50					

135	MIG Tip holder (tip size-0.8mm/1.2mm/1.6mm)	50					
136	Mig welding liner	50					
137	DPT test set, 500ml each	60					

(*- Freight – Ex Ranchi)